#### Slide 1 - Slide 1

-	ES Client v8.29 : My IES				
Help	Submit Quit Functions Commands	Contract Sections			
	- () Q	I D	« » ī		<ul> <li>×</li> </ul>
	1 Console 2 Pre Run 3 The Tay	gs <u>4</u> Options			
18	4	DOCUMENT WRITER	२		
	Doc Writer Key	r=87/a	Design Version	ms excel	
		Which is Which Example: Job	and the second	public Terry	
	Object Name  Category	Training	Last Upd By Last Upd	30/08/2010	
		<ul> <li>(1)</li> <li>(2)</li> <li>(3)</li> <li>(4)</li> <li>(4)</li> <li>(5)</li> <li>(4)</li> <li>(4)</li> <li>(5)</li> <li>(4)</li> <li>(4)</li></ul>			
	Appearance and Layout	Tag Functions	IES Business Function	ns Save my Work	
	Design Layout	Iterative Units	Template Functions	Interim :	Save
	Pre-View Layout	Find New Tags			Save
		Mass Edit Tag Names	Report Memo Values <u>GL Access Reports</u>		
Se:			Period Comments		

#### Slide notes

When we need a Pre Run for our Report, we can usually just select it from the list, because there are many standard Pre Runs already available.

## Slide 2 - Slide 2

🗃 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
• ? Q	🗢 🕗 « »		(*) (*) (*)
1 Console 2 Pre Run 3 The Tags 4	Options		
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process			
Results File Results Key			
Nesuis Ney			
Proceed on Field #			
Conditional Value			
	DIRECT REFERENCE DATA SOURCES: -		
		a Keys	
	l		
	-		
			<b>*</b>
Ses			
se: É			

## Slide 3 - Slide 3

(?) Q,	с e	) <b>« »</b> it l	*	Ø (
1 Console 2 Pre Run 3	Selection Dialog			
	Pre Run Assistance			
	······································		Select An Existing Pre Run Option	
	ne pre run can be automatically defined for y you are new to pre runs, you may want to lo	ou, by your choice from the available pre run options.	What Is A Pre Run?	
"	you are new to pre runs, you may want to to	ok at the help options hist	Which Pre Run To Use?	•
F			l Want To Make My Own Pre Run Quit	
			Quit	
Pri				
Pri				
Pri	DIRECT REFERENCE D	ATA SOURCES: .		
Pri	DIRECT REFERENCE D			
Pri	Data Sources	ATA SOURCES: - Data Keys		
Prv C				
Pri C	Data Sources			
Pri	Data Sources			
Pri	Data Sources			
Pri	Data Sources			
Pro	Data Sources			
Pri	Data Sources			

## Slide notes

The 'Assist' function can also tell us what a Pre Run is, which Pre Run should be appropriate for our needs, and even how to make a Custom Pre Run. Most of the time, we can just select a standard Pre Run.

## Slide 4 - Slide 4

EIES Client v8.29 : My IES Help Infolab Connections Logon Logoff Co	mpanion Wizard How do I DataMarts Business Modules Action Focus Option Select		_ 0 🛛
1 Console 2 Pre Run 3 The Tags	O     W     M     Apptions	۵	(v) (x)
Pre Run Pro Result Proceed on F Conditional	SINCLE SELECT: PRE RUN PROCESSES FOR REPORTS	•	

## Slide 5 - Slide 5

EIES Client v8.29 : My IES Help Infolab Connections Logon Logoff Co	mpanion Wizard How do I DataMarts Business Modules Action Focus Option Select		_ 0 🛛
1 Console 2 Pre Run 3 The Tags	O     W     M     Apptions	۵	(v) (x)
Pre Run Pro Result Proceed on F Conditional	SINCLE SELECT: PRE RUN PROCESSES FOR REPORTS	•	

## Slide 6 - Slide 6

🖉 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
• ? Q	🗢 🕖 « »	- T	🔅 🖉 😵
1 Console 2 Pre Run 3 The Tags	1 Options		
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process	docwritespre-lyear-dept Pre Run: 1 Year and	$\bigcirc$	
Results File Results Key			
Proceed on Field #			
Conditional Value	Υ.Υ.		
	DIRECT REFERENCE DATA SOURCES: -		
	Data Sources Data Ke 1	YS .	4
	• 		
Ses É			<b>*</b>
-		1	
É			

#### Slide notes

When we select a standard Pre Run, then it completes the necessary fields and that's that. So when we test our Report, we'll see the Pre Run kick in.

## Slide 7 - Slide 7

🖉 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
4 (?) Q,	🗢 🕖 « »		🔅 🖉 😣
<u>1</u> Console <u>2</u> Pre Run <u>3</u> The Tags	4 Options		
a de la companya de l			
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process	docwritespre-lyear-dept Pre Run: 1 Year and		
Results File	docwritespre		
Results Key			
Proceed on Field (	* 10		
Conditional Value			
	DIRECT REFERENCE DATA SOURCES: -		
		$\bigcirc$	-
	Data Sources Data Ke 1	-YS	
			<b>+</b> [
		1	
Ses			
Ē			

### Slide 8 - Slide 8

🗃 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
• 0 Q	• 🕖 « »	- m - O	4
1 Console 2 Pre Run 3 The Tags 4	Options		
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process	docwritespre-lyear-dept Pre Run: 1 Year and		
Results File Results Key			
Proceed on Field # Conditional Value			
Conditional - v arce			
	DIRECT REFERENCE DATA SOURCES: -		
	Data Sources Data K L	еўз	
		1	•
ses E			

## Slide 9 - Slide 9

۱ 🌌	ES Client v8.29 : My IES						
Help	Submit Quit Functions Commands						
				<b>« »</b>		\$	<ul> <li>X</li> </ul>
	1 Console 2 Pre Run 3 The Tay	gs <u>4</u> Options					
		DOCUMEN	TWRITER				
	Doc Writer Key	temp		modeling a manager			
	Object Mana	Example: Job	Which is Which	Ownership Last Upd By			
	Category		raining	Last Upd	30/08/2010		
		0	<b>(5 A</b> #	🗎 👫 💟			
	Appearance and Layout	Tag Fund	tions	IES Business Function	ns	Save my Work	
	Design Layout		Iterative Units	Template Functions		Interim Save	
	Pre-View Layout	Ma	Find New Tags s Edit Tag Names	Report Flag Functions Report Memo Values		Save	
For				GL Access Reports			
Ses É				Period Comments			

Slide notes

## Slide 10 - Slide 10

🗃 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
- ? Q	🗢 🕗 « 🔺 i	n O	(*) (*) (*)
1 Console 2 Pre Run 3 The Tags 4	Options		
Pre Run Process	PRE RUN PARAMETERS: - itespre-lyear-dept Pre Run: 1 Year and Dept	Pre Run Assist	
Results File Results Key	docwritespre		
Proceed on Field # Conditional Value			
	DIRECT REFERENCE DATA SOURCES: -	Test Doc, No Debug	
	Data Sources Data Keys L	Test 1 Tag only Test Doc, Debug All Test Doc, Debug 1 Tag	4
		Test Doc, GL Debug only None of these	
Sea É			<b>_</b>
É			

Slide notes

## Slide 11 - Slide 11

🗃 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
• 9 Q	♥ ∅ « »		🔅 🖉 🔇
1 Console 2 Pre Run 3 The Tags 4	Options		
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process	itespre-lyear-dept Pre Run: 1 Year and Dept		
Results File Results Key			
Proceed on Field # Conditional Value			
	DIRECT REFERENCE DATA SOURCES: -	Test Doc, No Debug	
	Data Sources Data Keys L	Test 1 Teg oply	<u>*</u>
		Test Doc, GL Debug only None of these	
Sea É			
			<u>•</u>
See É			

# Slide 12 - Slide 12

🖉 IES Client v8.29 : My IES			
Help Submit Quit Functions Commands			
(?) Q	🔷 🕗 « »		🔅 🖉 X
1 Console 2 Pre Run 3 The Tags 4	Options		
	PRE RUN PARAMETERS: -	Pre Run Assist	
Pre Run Process	itespre-lyear-dept Pre Run: 1 Year and Dept		
Results File Results Key			
Proceed on Field #	10		
Conditional Value	Y		
	DIRECT REFERENCE DATA SOURCES: -		
	Data Sources Data Key	ys	4
See			-
Sec			
É			

## Slide 13 - Slide 13

🖉 IES Client v8.29 : My IES				
Help Submit Quit Functions Commands				1. H
• 9 Q		0 <b>« »</b> IT		* • *
	-	REPORT RUNTIME VA This report can interpret the Financial Y according to your Selection.		
	Year Start Period Current Month End Of Year			
	Dept = ?	USE [] to produce the report for the entire Company, else state Dept Code []		
		Nex	<u>t</u>	
Session Info: Terry is using IES	ication Wizard	🏠 Pre Run: 1 Year And Dept 🛛 🗔	DOCWRITESPRE-1YEAR-DEPT	2010/08/31 09:47:24

### Slide notes

And here is the selected Pre Run now.

## Slide 14 - Slide 14

🗃 IES Client v8.29 : My IES				
Help Submit Quit Eunctions Commands				
	Year Start Period Current Month		ial Year	
	Dept = 7	USE [] to produce the report for the entire Company, else state Dept Co		
Session Info: Terry is using IE5				
🗊 Devtool 📑 App	blication Wizard	🏠 Pre Run: 1 Year And Dept		2010/08/31 09:47:27