




Slide 1 - Slide 1**Slide notes**

In a Unit, we use 'Load New Tag' for each new Tag that we want to include, because there is no Layout and we cannot append or insert Tags either.

Slide 2 - Slide 2



Slide notes

Slide 3 - Slide 3**Slide notes**

We can delete or edit Tags, and we can re-order the sequence. For new Tags, we use 'Load New Tag'.

Slide 4 - Slide 4

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Key: temp

Unit Name: AR debtor Invoice

Ownership: public

Which is Which

Last Updated By: Terry

Record Last Updated: 22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0001	Date	1
4 0004	Qty	1
5 0005	Amount	1
6 0006	Tax	1

Nex Pre Add Ins Ed Del

Notes

Save


Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.


Slide notes

Slide 5 - Slide 5



Slide notes

Slide 6 - Slide 6



Slide notes

Slide 7 - Slide 7

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0005	Amount	1
4 0006	Tax	1
5 0001	0001	1

Nex

Pre

Add

Ins

Ed

Del

Notes

Save

Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes

Slide 8 - Slide 8

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0005	Amount	1
4 0006	Tax	1
5 0001	0001	1

Nex

Pre

Add

Ins

Ed

Del

Save

Load New Tag

Re-Select Tag Order

Notes

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes

Slide 9 - Slide 9

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Key: temp

Unit Name: AR debtor Invoice

Ownership: public

Which is Which

Last Updated By: Terry

Record Last Updated: 22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0005	Amount	1
4 0006	Tax	1
5 0001	0001	1
6 0004	0004	1

Nex Pre Add Ins Ed Del

Notes

Save

Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes

Slide 10 - Slide 10

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0005	Amount	1
4 0006	Tax	1
5 0001	0001	1
6 0004	0004	1

Nex

Pre

Add

Ins

Ed

Del

Notes

Save


Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.


Slide notes

Slide 11 - Slide 11




Slide notes

Slide 12 - Slide 12



Slide notes

Slide 13 - Slide 13




Slide notes

Slide 14 - Slide 14



Slide notes

Slide 15 - Slide 15



Slide notes

Slide 16 - Slide 16

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0001	0001	1
2 0004	0004	1
3 0002	Descr	1
4 0003	Doc	1
5 0005	Amount	1
6 0006	Tax	1

Nex

Pre

Add

Ins

Ed

Del

Notes

Save

Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes

Slide 17 - Slide 17

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0001	0001	1
2 0004	0004	1
3 0002	Descr	1
4 0003	Doc	1
5 0005	Amount	1
6 0006	Tax	1

Nex

Pre

Add

Ins

Ed

Del

Notes

Save

Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes