


Slide 1 - Slide 1



Slide notes

Here we have a Unit with 6 Tags. Now what if, for some reason, we wish to have these Tags in a different sequence? For that, we use the 'Re-select Tag Order' option.

Slide 2 - Slide 2

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0001	Date	1
2 0002	Descr	1
3 0003	Doc	1
4 0004	Qty	1
5 0005	Amount	1
6 0006	Tax	1

NexPreAddInsEdDel

Notes

Save


Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.


Slide notes

Slide 3 - Slide 3




Slide notes

Slide 4 - Slide 4




Slide notes

Slide 5 - Slide 5




Slide notes

Slide 6 - Slide 6



Slide notes

Slide 7 - Slide 7



Slide notes

Slide 8 - Slide 8

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

DOCUMENT WRITER HTML UNIT

Doc Writer Unit Keytemp

Unit NameAR debtor Invoice

Ownershippublic

Which is Which

Last Updated ByTerry

Record Last Updated22/08/2010

>>> HTML Tags	Value Names	Exec Iteration
1 0002	Descr	1
2 0003	Doc	1
3 0001	Date	1
4 0004	Qty	1
5 0005	Amount	1
6 0006	Tax	1

NexPreAddInsEdDel

Notes

Save

Load New Tag

Re-Select Tag Order

Note: The Unit inherits and shares pre-run and Data Sources with the calling Document.

Slide notes