


Slide 1 - Slide 1**Slide notes**

This Layout example includes a Unit line with 3 Tags.

Slide 2 - Slide 2


The screenshot shows a Windows Internet Explorer browser window. The title bar reads "W127.0.0.1\Bridge\X1557744575.htm - Windows Internet Explorer". The address bar shows the URL "W127.0.0.1\Bridge\X1557744575.htm". The browser interface includes a menu bar (File, Edit, View, Favorites, Tools, Help), a search bar with the Google logo, and a toolbar with various icons. The main content area displays a table titled "Cash on Hand, at Bank". The table has three columns: "Account Code", "Name", and "Balance". The data rows are as follows:

<u>Account Code</u>	<u>Name</u>	<u>Balance</u>
0001	0002	0003
	Total Cash	0004

At the bottom of the browser window, there is a status bar with "Done" on the left, a tab bar showing "Sheet1", "Sheet2", and "Sheet3", and a "Done" button on the right. The status bar also indicates "Internet" and "100%" zoom.

Slide notes

Slide 3 - Slide 3



Slide notes

The screenshot shows the IES Client v8.29 window titled "My IES". The top menu bar includes Help, Submit, Quit, Functions, and Commands. Below the menu is a toolbar with icons for key, search, heart, clock, double arrows, single arrow, printer, cube, refresh, checkmark, and close. A tabbed interface at the top has four tabs: "1 Console", "2 Pre Run", "3 The Tags" (which is active), and "4 Options".

In the "The Tags" tab, there is a section titled "Tag Result Macros: -". It contains a table with columns "Tags", "Value Names", and "Exec It". The table lists four macros:

	Tags	Value Names	Exec It
1	0001	Unit Call	1
2	0002	*** unit dependent	1
3	0003	*** unit dependent	1
4	0004	Total	1

To the right of the table, under the heading "Where is that tag !", are three links: "Select from Tag List", "Search for Tag Number", and "Search for Tag Name".

Below these links, under the heading "Current Tag Focus: -", are three input fields:

- Row: 1
- Tag #: 0001
- Name: Unit Call

At the bottom right, there is a link "Open the Tag Macro". At the very bottom left, there is a status bar with buttons: Nex, Pre, Add, Ins, Ed, Del.

When we look at the Tag list, the 1st Tag in the Unit Group is always the Unit Call, and the others are always 'Unit Dependents'. The logic for the Tags are done in the Unit itself.

The screenshot shows the IES Client v8.29 window titled "My IES". The menu bar includes Help, Submit, Quit, Functions, and Commands. Below the menu is a toolbar with icons for key, help, search, heart, clock, double left arrow, double right arrow, list, grid, refresh, checkmark, and close. A tabbed interface at the top has four tabs: "1 Console", "2 Pre Run", "3 The Tags" (which is selected), and "4 Options".

In the "The Tags" tab, there is a section titled "Tag Result Macros: -". It contains a table with columns "Tags", "Value Names", and "Exec It". The table lists four macros:

	Tags	Value Names	Exec It
1	0001	<u>Unit Call</u>	1
2	0002	*** unit dependent	1
3	0003	*** unit dependent	1
4	0004	Total	1


To the right of the table, under the heading "Where is that tag !", are three links: "Select from Tag List", "Search for Tag Number", and "Search for Tag Name".

Below these links, under the heading "Current Tag Focus: -", is a form with three fields: "Row" containing "1", "Tag #" containing "0001", and "Name" containing "Unit Call". Below this form is a link "Open the Tag Macro".

At the bottom left, there is a "See" button and a set of navigation buttons: "Nex", "Pre", "Add", "Ins", "Ed", and "Del".

Page 5 of 11


Slide 6 - Slide 6




Slide notes

[illegible]


Page 7 of 11

Slide 8 - Slide 8**Slide notes**

So this is what we use the 'Unit Dependent' Template for. It is always used for all Tags in a Unit set that follow the Unit Call Tag.


Slide 9 - Slide 9**Slide notes**

Slide 10 - Slide 10



Slide notes

Slide 11 - Slide 11



Slide notes