

**Slide 1 - Slide 1**

The screenshot shows the IES Client v8.29: My IES interface. The window title is "IES Client v8.29 : My IES". The menu bar includes "Help", "Submit", "Quit", "Functions", and "Commands". The toolbar contains icons for search, home, back, forward, refresh, and close. Below the toolbar is a navigation bar with tabs: "1 Console", "2 Pre Run", "3 The Tags", and "4 Options". The main content area is titled "DOCUMENT WRITER" and contains two tables of data.

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010

Below the tables is a row of icons representing various functions: a clock, two people, a circular arrow, a flame, a folder, a tree diagram, a monitor, and a document with a checkmark.

At the bottom, there are four sections of links:

- Appearance and Layout**: [Design Layout](#), [Pre-View Layout](#)
- Tag Functions**: [Iterative Units](#), [Find New Tags](#), [Mass Edit Tag Names](#)
- IES Business Functions**: [Template Functions](#), [Report Flag Functions](#), [Report Memo Values](#), [GL Access Reports](#)
- Save my Work**: [Interim Save](#), [Save](#)

**Slide notes**

When we want to use Templates that insert Period Names, then we will usually have a Pre Run that allows the User to select the Periods for which the Report will be performed.

## Slide 2 - Slide 2

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

1 Console 2 Pre Run 3 The Tags 4 Options

## DOCUMENT WRITER

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010

- Test Doc, No Debug
- Test 1 Tag only
- Test Doc, Debug All
- Test Doc, Debug 1 Tag
- Test Doc, GL Debug only
- None of these

<p>Appearance and Layout</p> <p><a href="#">Design Layout</a></p> <p><a href="#">Pre-View Layout</a></p>	<p>Tag Functions</p> <p><a href="#">Iterative Units</a></p> <p><a href="#">Find New Tags</a></p> <p><a href="#">Mass Edit Tag Names</a></p>	<p>IES Business Functions</p> <p><a href="#">Template Functions</a></p> <p><a href="#">Report Flag Functions</a></p> <p><a href="#">Report Memo Values</a></p> <p><a href="#">GL Access Reports</a></p>	<p>Save my Work</p> <p><a href="#">Interim Save</a></p> <p><a href="#">Save</a></p>
--	---	---	---

See

E

## Slide notes

## Slide 3 - Slide 3

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

1 Console 2 Pre Run 3 The Tags 4 Options

## DOCUMENT WRITER

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010

[Test Doc, No Debug](#)  
[Test 1 Tag only](#)  
[Test Doc, Debug All](#)  
[Test Doc, Debug 1 Tag](#)  
[Test Doc, GL Debug only](#)  
[None of these](#)

Appearance and Layout	Tag Functions	IES Business Functions	Save my Work
<a href="#">Design Layout</a> <a href="#">Pre-View Layout</a>	<a href="#">Iterative Units</a> <a href="#">Find New Tags</a> <a href="#">Mass Edit Tag Names</a>	<a href="#">Template Functions</a> <a href="#">Report Flag Functions</a> <a href="#">Report Memo Values</a> <a href="#">GL Access Reports</a>	<a href="#">Interim Save</a> <a href="#">Save</a>

See

E

## Slide notes

**Slide 4 - Slide 4**

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

## REPORT RUNTIME VALUES

This report can interpret the Financial Year according to your Selection.

Please choose the Periods to Apply -

Year Start Period	104
Current Month	Jul 2010 (p 114)
End Of Year	Aug 2010 (p 115)

[Next](#)

**Slide notes**

The Pre Run can prompt for Current Year or even 2 Year Settings.

Slide 5 - Slide 5



Slide notes

Slide 6 - Slide 6



Slide notes

### Slide 7 - Slide 7

The screenshot shows the IES Client v8.29: My IES interface. At the top, there is a menu bar with options: Help, Infolab, Connections, Logon, Logoff, Companion, Wizard, How do I, DataMarts, Business Modules, Action Focus, and Option Select. Below the menu is a toolbar with various icons. A navigation bar contains four tabs: 1 Console, 2 Pre Run, 3 The Tags, and 4 Options. The main area is titled "DOCUMENT WRITER" and contains two tables of settings.

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010

A red status message is displayed in the center: "document tag processing: - calculate tags: 0032 time used 00:00:00 time remaining 00:00:00". Below this message is a row of icons representing various system functions.

At the bottom, there are four main sections with their respective sub-links:

- Appearance and Layout**
  - [Design Layout](#)
  - [Pre-View Layout](#)
- Tag Functions**
  - [Iterative Units](#)
  - [Find New Tags](#)
  - [Mass Edit Tag Names](#)
- IES Business Functions**
  - [Template Functions](#)
  - [Report Flag Functions](#)
  - [Report Memo Values](#)
  - [GL Access Reports](#)
- Save my Work**
  - [Interim Save](#)
  - [Save](#)

### Slide notes

### Slide 8 - Slide 8

The screenshot shows the IES Client v8.29: My IES interface. At the top, there is a menu bar with options: Help, Infolab, Connections, Logon, Logoff, Companion, Wizard, How do I, DataMarts, Business Modules, Action Focus, and Option Select. Below the menu is a toolbar with various icons. A navigation bar contains four tabs: 1 Console, 2 Pre Run, 3 The Tags, and 4 Options. The main content area is titled "DOCUMENT WRITER" and contains two tables of settings.

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010


A red status message is displayed in the center: "document tag processing: - calculate tags: 0032 time used 00:00:00 time remaining 00:00:00". Below this message is a row of icons representing various system functions.

At the bottom, there are four main sections with their respective sub-links:

- Appearance and Layout**
  - [Design Layout](#)
  - [Pre-View Layout](#)
- Tag Functions**
  - [Iterative Units](#)
  - [Find New Tags](#)
  - [Mass Edit Tag Names](#)
- IES Business Functions**
  - [Template Functions](#)
  - [Report Flag Functions](#)
  - [Report Memo Values](#)
  - [GL Access Reports](#)
- Save my Work**
  - [Interim Save](#)
  - [Save](#)


### Slide notes

### Slide 9 - Slide 9




### Slide notes

### Slide 10 - Slide 10




### Slide notes

## Slide 11 - Slide 11



## Slide notes

## Slide 12 - Slide 12



## Slide notes

In this Report, we use the selected Current Month setting, and display it here.

## Slide 13 - Slide 13

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

1. Console 2. Pre Run 3. The Tags 4. Options

## DOCUMENT WRITER

Doc Writer Key	temp	Design Version	not defined
	<a href="#">Which is Which</a>	Ownership	public
Object Name	Income Statement SOHO	Last Upd By	Terry
Category	Financial Statements	Last Upd	26/08/2010

Appearance and Layout	Tag Functions	IES Business Functions	Save my Work
<a href="#">Design Layout</a>	<a href="#">Iterative Units</a>	<a href="#">Template Functions</a>	<a href="#">Interim Save</a>
<a href="#">Pre-View Layout</a>	<a href="#">Find New Tags</a>	<a href="#">Report Flag Functions</a>	<a href="#">Save</a>
	<a href="#">Mass Edit Tag Names</a>	<a href="#">Report Memo Values</a>	
		<a href="#">GL Access Reports</a>	

See  
E

## Slide notes

**Slide 14 - Slide 14**

The screenshot shows the IES Client v8.29: My IES interface. The window title is "IES Client v8.29 : My IES". The menu bar includes "Help", "Submit", "Quit", "Functions", and "Commands". The toolbar contains icons for help, search, home, back, forward, print, refresh, and close. The main content area has a navigation bar with tabs: "1 Console", "2 Pre Run", "3 The Tags", and "4 Options". The "2 Pre Run" tab is active.

**PRE RUN PARAMETERS: -** [Pre Run Assist](#) 

Pre Run Process:

Results File:

Results Key:

Proceed on Field #:

Conditional Value:


**DIRECT REFERENCE DATA SOURCES: -** 

Data Sources	Data Keys
1 docwritespre	port key

**Slide notes**

We can also see here that we have a Pre Run option specified for the Report.

### Slide 15 - Slide 15



### Slide notes

## Slide 16 - Slide 16

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

1 Console 2 Pre Run 3 The Tags 4 Options

Tag Result Macros: -

>>> Tags	Value Names	Exec It
1 0001	Co Name	1
2 0002	Period	1
3 0014	Stock Sales: Cur	1
4 0015	Stock Sales: Bud	1
5 0016	Stock Sales: YTD	1
6 0017	Stock Sales: YTD Bud	1
7 0018	Stock Sales: Ann Bud	1
8 0019	Other: Cur	1
9 0020	Other: Bud	1
10 0021	Other: YTD	1
11 0022	Other: YTD Bud	1
12 0023	Other: Ann Bud	1
13 0024	Tot Revenue: Cur	1
14 0025	Tot Revenue: Bud	1
15 0026	Tot Revenue: YTD	1
16 0027	Tot Revenue: YTD Bud	1
17 0028	Tot Revenue: Ann Bud	1
18 0029	Rent: Cur	1
19 0030	Rent: Bud	1
20 0031	Rent: YTD	1
21 0032	Rent: YTD Bud	1
22 0033	Rent: Ann Bud	1
23 0034	Bad Debts: Cur	1
24 0035	Bad Debts: Bud	1
25 0036	Bad Debts: YTD	1

Where is that tag !

[Select from Tag List](#)

[Search for Tag Number](#)

[Search for Tag Name](#)

Current Tag Focus: -

Row: 2

Tag #: 0002

Name: Period


[Open the Tag Macro](#)

Nex Pre Add Ins Ed Del

## Slide notes


And the Tag that displays the Period Name is Tag 2.

Slide 17 - Slide 17




Slide notes

Slide 18 - Slide 18




Slide notes

Slide 19 - Slide 19



Slide notes

**Slide 20 - Slide 20****Slide notes**


This Template can display a selection of different Period Name options.

**Slide 21 - Slide 21**




**Slide notes**

Slide 22 - Slide 22




Slide notes

**Slide 23 - Slide 23**




**Slide notes**

Slide 24 - Slide 24



Slide notes

Slide 25 - Slide 25



Slide notes

## Slide 26 - Slide 26

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

1 Console 2 Pre Run 3 The Tags 4 Options

Tag Result Macros :-

>>> Tags	Value Names	Exec It
1 0001	Co Name	1
2 0002	Period	1
3 0014	Stock Sales: Cur	1
4 0015	Stock Sales: Bud	1
5 0016	Stock Sales: YTD	1
6 0017	Stock Sales: YTD Bud	1
7 0018	Stock Sales: Ann Bud	1
8 0019	Other: Cur	1
9 0020	Other: Bud	1
10 0021	Other: YTD	1
11 0022	Other: YTD Bud	1
12 0023	Other: Ann Bud	1
13 0024	Tot Revenue: Cur	1
14 0025	Tot Revenue: Bud	1
15 0026	Tot Revenue: YTD	1
16 0027	Tot Revenue: YTD Bud	1
17 0028	Tot Revenue: Ann Bud	1
18 0029	Rent: Cur	1
19 0030	Rent: Bud	1
20 0031	Rent: YTD	1
21 0032	Rent: YTD Bud	1
22 0033	Rent: Ann Bud	1
23 0034	Bad Debts: Cur	1
24 0035	Bad Debts: Bud	1
25 0036	Bad Debts: YTD	1

Where is that tag !

[Select from Tag List](#)

[Search for Tag Number](#)

[Search for Tag Name](#)

Current Tag Focus: -

Row: 2

Tag #: 0002

Name: Period

[Open the Tag Macro](#)

Nex Pre Add Ins Ed Del

## Slide notes

So the Template for Period Names can be used any number of times in a Report, with different Period options, as may be required.

### Slide 27 - Slide 27

The screenshot shows the IES Client v8.29 interface. At the top, there is a menu bar with 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. Below the menu bar is a toolbar with various icons. A navigation pane on the left contains four tabs: '1 Console', '2 Pre Run', '3 The Tags', and '4 Options'. The main area is divided into two sections. The left section, titled 'Tag Result Macros: -', contains a table with columns 'Tags', 'Value Names', and 'Exec It'. The right section, titled 'Where is that tag !', contains three search links: 'Select from Tag List', 'Search for Tag Number', and 'Search for Tag Name'. Below these links is a 'Current Tag Focus: -' section with a table showing 'Row' (2), 'Tag #' (0002), and 'Name' (Period). At the bottom right of this section is a link 'Open the Tag Macro'. At the bottom left of the main area is a small toolbar with buttons 'Nex', 'Pre', 'Add', 'Ins', 'Ed', and 'Del'.

	>>> Tags	Value Names	Exec It
1	0001	Co Name	1
2	0002	Period	1
3	0014	Stock Sales: Cur	1
4	0015	Stock Sales: Bud	1
5	0016	Stock Sales: YTD	1
6	0017	Stock Sales: YTD Bud	1
7	0018	Stock Sales: Ann Bud	1
8	0019	Other: Cur	1
9	0020	Other: Bud	1
10	0021	Other: YTD	1
11	0022	Other: YTD Bud	1
12	0023	Other: Ann Bud	1
13	0024	Tot Revenue: Cur	1
14	0025	Tot Revenue: Bud	1
15	0026	Tot Revenue: YTD	1
16	0027	Tot Revenue: YTD Bud	1
17	0028	Tot Revenue: Ann Bud	1
18	0029	Rent: Cur	1
19	0030	Rent: Bud	1
20	0031	Rent: YTD	1
21	0032	Rent: YTD Bud	1
22	0033	Rent: Ann Bud	1
23	0034	Bad Debts: Cur	1
24	0035	Bad Debts: Bud	1
25	0036	Bad Debts: YTD	1

Where is that tag !

[Select from Tag List](#)

[Search for Tag Number](#)

[Search for Tag Name](#)

Current Tag Focus: -

Row	2
Tag #	0002
Name	Period

[Open the Tag Macro](#)

Nex Pre Add Ins Ed Del

### Slide notes