




## Slide 1


Slide notes: We will now see how we can use a Tag Template to insert the time in our Report.













Hep Submit V8.29 My IES Hep Submit Out Functions Commands			
ي ب () و		« » 1 I	(4) (2) (3)
1 Coracelle 2 Pre Mare 2 This To	ge di Cipliona		
Institute for Cherry Orea Caregori	Ymen is Ymen Teaming	Design version affind edition Conservation public Constraints Torryy Contraint Conservation	
	o 🖾 🧿 🗛	a 🗈 🔊 🔉	
Appearance and Layent Second And Pre-View Layent	Banalios Lineta Envid Marco Taus	IES Bininens Functions Taiminis Functions Parant Rise Functions	Save my Work Mann Sava Sites
	Wates Edd Tao Harmes	Radott Marro Values OL Access Reports	

Slide 5 Slide notes:

BS Client v8.29 - My IES Heb Subnit Quit Runctions Common	6				ule <mark>x</mark>
- <u>-</u> () Q		0 (0)	« »	(*)	(2) (X)
1 Conscient 2 Pine Mars 2 This	Tega <u>4</u> Optiona			_	
Non Printer Ave (Non/Year Carenar	Training	VALUE VALUE	Design Constants Constant (Constants) Constants (Co	pomilic	
			🖴 🟦 🔘		
Appearance and Laye		motions Taratya Linta	IES Business Function Template Function		8
Pre-View Lans	4	Endthow Taga Mass Edit Tag Harnes	Based Rise Functions Report Name Values OL Access Reports		Same

Slide 6 Slide notes:

	<u>) s</u>		_			·	0	22					
Coracie	2 Pre Ban	2 Sel	oction DS	alog								×	
	182 N	Aline	e Tagi moet evolo Object Poe	sedbeweer	(T in he)	ATML Codel in	ve consider	disbe Tag	, but unless yo		Next		
	loc 20 (See	when then is duplica	o vill teriorit you initialja i erittalee ees	peranly temp peak) al you r TagLago u ranky	k/ Tago il e Tago oriky poliatec i poli	e, inclances d	Or where a	to Tag Natie ber thein sei	n jet greiert gerildij, wie ng Nardon		0.e		
		2	0	LAU	()	<b>A</b> #		-					
Арр	warance and			Tag Func			н	S Busines	n Function	<b>1</b> 92	Save my		
		n Layout y Layout		Mai		willinia ew.Taus illianes		Report Flag	Eurotona Eurotona Imo Valuea Sa Reporta			Hiladan Sax Sax	

Slide 7 Slide notes:


IES Client v8.29 : My IES     Hep Subnit: Quit: Runctions: Commands		ue.
- () Q	🥥 (i) 🔿 🥐	
1 Coreste 2 Pre Mar 3 The Te	s dDytone	
har toda toa (taas) toe (taas)	Youning	ranjas 10/146/1919 Linu ja Jung egitoj Jung egitoj
9	◎ 🔬 🗘 🗛 🖴 🐣	
Appearance and Layout December Pre-View Layout	Tag Functions IES Business I Brathe Links Tamolais F Faultien Taus Brood Base Mass Edit Tag Harnes Sason Mem OL Access	instans Milatin Saw instans Saw
E		

Slide 8 Slide notes:


IES Client v8.29 : My IES     Hep Subnit: Quit: Runctions: Commands		ue.
- () Q	🥥 (i) 🔿 🥐	
1 Corestin 2 Pre Mar 3 The Te	s dDytone	
har toda toa (taas) toe (taas)	Youning	ranjan La
9	◎ 🔬 🗘 🗛 🖴 🐣	
Appearance and Layout December Pre-View Layout	Tag Functions IES Business I Brathe Links Tamolais F Faultien Taus Brood Base Mass Edit Tag Harnes Sason Mem OL Access	instans Milatin Saw instans Saw
E		

Slide 9 Slide notes:


		v8.29 : My	IES rs Commands									. 0 🛛
_		(2)		_	-00	« »	_					
		<u> </u>	u,		0	« <i>"</i>		_			· ·	÷.
	1 Conacé	2Pre B	un 2 The Tage 4 Options	L								
	Teel	lesult Macr							Where is that tag			
		305 Tagz	Value Namer			Exer It			www.ere is maring	1		
		0001	Ficture			1				Selectri	rom Tag L	ist.
	z	0002	Frogram Call			1						
	3	0003	Runber			1				Search for 1	Tan Numl	1.Def
	4	0005	Date			1					Line i teatite	-
	5	0004	0004			1				Search fo	The bloc	
										Distancin IS		<u>ne</u>
									Current Tag Focu	ST -		
								Row	4			
								Teg #	0005			
								None	Date			
										Open to	e Tan Mai	ano 👘
Sei												
E												
	Nex 1	n dal na	Be Col									



	ES Client v0.29 : My IES	
Help	) Mindada Connections Logon Logon Logon ( gompanion ) Witzerd How do I QuataMarts Business Modules Action Focus ( gation Select	
-	• • • • • • • • • • • • • • •	×
	1 Console 2Pre Run 2 The Teps 4 Options	
5	BRGLE SELECT: TEMPLATE AND MACRO OPTIONS	
F	SELECT -	
	I.	^
	2 THITTITTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	
	3 4 Uper Defined Narro - Duild Your Own Macro With Tag Logic. 5	
	6 THEFTER THEFTER THE ACCOUNTS	
	<sup>7</sup> Wummeric Result, Accounts - Use With Any Ies Business Account Types, K.q. Ledger, Assets, Jobs, Stock, Debtors, Credi 9 Wumeric Result, Gl. Single Bule - Use With ledger Only, Based On Single Select Rule. 10 Wumeric Result, Gl. Double Rule - Use With ledger Only, Daved On Double Select Rule. 11 Wumeric Result, Gl. Mult Rule - Use With ledger Only, Daved On Multi Select Rule.	tors, Et
	12 13 ************************************	
	14	
	<ol> <li>Unit Call, Data Iceration - Use For Unit Call Based On Data Iceration I.e. Multi-value Data Set Nithin Record.</li> <li>Une For Unit Call Based On Data Selector With Direct Data Source For Document.</li> <li>Une For Unit Call Based On Multi Pale Selection Of Reys. Any Data Source.</li> </ol>	
	15 Unit Call, Ikeys Single Pule, G1 - Use For Unit Call Based Dn Single Rule Selection Of Keys, Dnly G1 Ledger.	
	<ol> <li>Unit Call, Hergs Double Rule, 61 - Use For Unit Call Based On Double Rule Selection Of Keys, Only 61 Ledger.</li> <li>Unit Dependent Tag</li> <li>Unit Pinel Line</li> <li>Unit Distead Of The "Call" Tag For A Jupit Line With "underline" As Final Line.</li> </ol>	*
	Select ALL Show Full Live Cancel OK	
Sei		
É	Best De Add for Ed Col	




😹 IES Client v0.29 : My IES	
Help Wrolab Connections Logon Logon Logon Logon Wared How do 1 QataMarts Business Modules Action Focus Option Select	
••••••••••••••••••••••••••••••••••••••	<ul> <li>×</li> <li>×</li> </ul>
1 Conace 2 Pre Man 2 The Tegs 4 Options	
SINGLE SELECT: TEMPLATE AND MACRO OPTIONS	
SELECT -	
μ	~
2 United States States	
4 Uper Defined Marro - Build Your Own Marro With Tag Logir.	-
a introduction from The Accounts	
<ul> <li>Numeric Result, Accounts - Use With Any Ies Buriness Account Types, E.q. Ledger, Assets, Jobs, Stock, Debtors,</li> <li>Numeric Result, 61, Public Rule - Use With ledger Duly, Based On Single Select Rule.</li> <li>Numeric Result, 61, Mublis Rule - Use With ledger Duly, Based On Double Select Pule.</li> <li>Numeric Result, 61, Mublis Rule - Use With ledger Duly, Based On Multi Select Pule.</li> </ul>	Creditory, Et
13 Antoine Contraction Contrac	
14     15     Unit Call, Data Iteration     - Use For Unit Call Based On Data Iteration I.e. Multi-value Data Set Within Record.       15     Unit Call, Data Selector     - Use For Unit Call Based On Data Selector With Direct Data Source For Document.       17     Unit Call, Dreys Sulti Fule     - Use For Unit Call Based On Data Selector With Direct Data Source.       18     Unit Call, Dreys Single Pule, Gl Dase for Unit Call Based On Dingle Fule Selection Of Keys, Only Gl Ledger.       19     Unit Call, Dreys Double Rule, Gl Des For Unit Call Based On Double Fule Selection Of Keys, Only Gl Ledger.       20     Unit Papendent Tag     - Use For Unit Call Tay For A Jupit Line With "underline" As Final Line.       10     Unit Final Line     - Use Instead Of The "call" Tay For A Jupit Line With "underline" As Final Line.	×
Select ALL Show FullLine Cancel DK	
Set and a set of a se	
Hars Bre Add Fre Ed Col	




Slide 13 Slide notes:


ES Client v8.29 : My IES	on Witzerd How doll DetaMorts Business Modules Action Focus Option Select	
۵ و م	Coptions	v) (X)
SINGLE SELECT: TEMPLATE AND MACRO OF SELECT -		
39 Tay Operator Tay 40 Total From Other Tays 41 Heav Value 42 Data Selection Key 43 Text Label 44 Literal Or Mumber Insert 45 Balancing Tay, Correct Bounding 46 Enyort A Tay Value	<ul> <li>Use To Express The 4 Variance Between 2 Tags.</li> <li>Use To Express The 4 Variance Between 2 Tags.</li> <li>Use To Derive A Total From The Results Of Other Tags.</li> <li>Use To Derive A Report Hemo Value.</li> <li>Use To Derive A Selection Choice By User.</li> <li>Use To Insert A Tast Label.</li> <li>Use To Insert A Tast Label.</li> <li>Use To Insert A Far and the Scaled, A Salancing Tag Can Ensure That The Totals Add Up. An Exported Value Can Be Inserts A Tast Label.</li> <li>Use To Insert A Pre-operified Literal.</li> <li>When Other Tag Values Are Scaled, A Salancing Tag Can Ensure That The Totals Add Up. An Exported Value Can Be Inported By Morther Toy, Even In Another Peport.</li> <li>Insert The Company Heme From The Standard Company Report Hender.</li> <li>Insert The Company Heme From The Standard Company Report Hender.</li> <li>Insert The Task And Format To Your Preference.</li> <li>Insert The Task And Format To Your Preference.</li> <li>Insert A Numeric Beruit From A Working Accounding And Format To Frederence.</li> <li>Insert A Remain Format The Working You To Int Line.</li> <li>Eventva A Banult From A Working You Buck and Format To Frederence.</li> <li>Insert A Remain Explore The Working You Schemen Schement To Frederence.</li> <li>Insert A Exploreasement, If The The And Working You Schement Schement To Frederence.</li> <li>Insert A Report Reputer Forma Working You Schement To Heat To Frederence.</li> <li>Insert A Part Replacement, If The The And You You's Preference Take The Task Add You's Totals Add You's Totals Add You's Totals Totals Add You's Totals Ad</li></ul>	
Set	Salect All Show FullLine Cancel OK	




	v8.29 : My Corrections		CotoMarts Business Modules Action Focus Option Select
	9	۹	0 « » IT II 🗘 🗘 🤇
	esult Macro	Value Baner	Where is that tag !
	0001	Ficture	1 Select from Tag List
z	0002	Frogram Call	1
3	0003	Rumber:	1 Search for Tag Number
4	0005	Date	1
,	0004	0004	Search for Tea Nome
			Current Tag Focus: -
			Row 4
			Taga 0005
			Name Date
			Open the Tag Marro
			open me rad wate




🖉 IES Client v8.29 : My				
Help Subnik Quit Function	ns Commands			
(?)	Q	• • • »	1	(† 🖌 🖉 🔅
	TEMPLAT	E 056: Time		
	TAO # 0004 Name 0004			
			Algement I: right justified Result Wells 10	
	Bernove Template	Copy Template		
	Reveal Logic	Bave	TegResul always ceturn a result Operator	*
			Contilional Value	
Session Infor Terry is using				
Devical	📰 Application Witzard	🏠 Tag Tempinte: Time	5. BOFRIEND-TAO-TEMPLATESS	3010/08/26 16:01:12




BES Client v8.29 : My IE Help Subnit Quit Functions				_	
(2) (0		) <b>« »</b>		() ()	8
	TEMPLAT	E 056: Time			
	тала и 6066 Напе <b>П</b>				
			Algonent 10 Algonent 10	•	
	Bemove Template	Copy Template			
	<u>Reveal Logic</u>	Bave	TegReout Operator • Constitional Value	ilt ¥	
Session Infor Terry is using I	ES Application Wizard	🏠 Tag Tempinte: Time	5. BOFRIEND-TAO-TEMPLATESS		1:13



🖉 IES Client v8.29 : My				6	
Help Subnik Quit Function	ns Commands				
0	9.	0 <b>« »</b>		6 Ø	(X)
	TEMPLAT	'E 056: Time			
	TAO # 0000				
			Algoneet I: right justified Recutively 10	•	
	Remove Template	Copy Template			
	Reveal Logic	Bave	TepResul always seturn a resul Operator = Conditional Value	t v	
			Considering Primo		
Session Infor Terry is using	115				
Devicol	Application Wizard	🏠 Tag Tempinis: Time	5. BOFRIEND-TAO-TEMPLATESS		13




🙋 IES Client v8.29 : My				
Help Subnik Quik Function	ns Commands			
- () () () ()	۹. ۴	0 « »		(i) (i) (k)
	TEMPLAT	'E 056: Time	_	
	TAO # 0004 Note Tia			0
			Algement I: right justified Recut Web: 10	×
	Remove Template	Copy Template		
	RevealLogis	Bave	TegResul always return a result Openior -	×
			Conditional Value	
Session Infor Terry is using				
Devilool	🚍 Application Witzard	Tog Tempinis: Time	5. BOFRIEND-TAO-TEMPLATESS	2010/08/26 16:01:13




🙋 IES Client v8.29 : My II					
Help Subnik Quit Functions		D « »		÷ 0	8
		E 056: Time			
	TAO # 6064 Norte <b>713</b>				
	Bernove Template	CopyTemplate	Algoneri I: tight justified Recut Vieto	•	
	BenalLouix	<u>Eave</u>	TegResul Operator • Conditional Value	lt ¥	
Session Infor Terry is using	105				
🗊 Devitool	Application Witzard	🏠 Tag Tempinte: Time	5. BOFRIEND-TAO-TEMPLATESE		14

Slide 20 Slide notes:


🖉 IES Client v8.29 : My IES				Je	×
Help Subnik Quit Functions		D « »		6 9 6	
		E 056: Time			
	TAO # 0006 Name Time			0	
			Algoment <b>is sight justified</b> RecultVAdm <b>10</b>		
	Remove Template	Copy Templete			
	BenalLasis	Save	Top Result always coturn a result Operator - Conditional Value	•	
Session Infor Terry is using IE	S Application Wizard	🏠 Tag Tempinis: Time	5. BOFRID-0-TAG-TBMPLATESS	O 2010/08/26 16:01:14	



		v8.29 : My B Quit Functions						
_	_	0		 ) «	>>	_		÷ 🕗 😣
100	naole	2Pre Bun	2 The Tage & Options					
Та		esult Macros	S - Value Manez	z	sec It		Where is that tag !	
	1	0001	Ficture		1			Select from Tag List
	z	0002	Frogram Call		1			
	3	0003	Runber		1			Search for Tag Number
	4		Date		1			
	5	0004	Tine		1			Bearch for Teo Name
						Ron Tega Nane	Current Tag Focus 5 000 Time	Open the Tan Macro
Sec								
۴ <u>–</u>	IX E	90 (Add ) 10 (						



		v8.29 : My Ouit Functio	r IES ins Commands					
_		0		• 0	« »			() () (X
	Console							
		esult Maci	es: - Value Maner		Exer It.		Where is that tag !	
		DOD1	Ticture		1			Belect from Teg List
	z		Frogram Call		1			and a first the state
	3		Number:		1			Search for Tag Number
	4		Date		1			Design for larg burnley
	5	0004	Tine		1			Search for Tag Name
						Rov Ting: News	Current Tag Focus 5 0004 0 Time	
								Open the Tag Macro
Sec								
E	Max B	n Add Inc	<b>B</b>					




IES Client v8.29 : My IES     Heb Subnit: Out: Runctions Commands		
- 0 Q	U (0) (4 ) (7 ) (6 )	(v) (x)
1 Corace 2Pre flat 2 The Te	an Tokan	
ina trida dar Characteria Chargeri	YMERISYMEN Design of lic Training Continent Torry	
3	🔘 👪 🧳 🏯 🖴 🖄	
Appearance and Layer Desim Layer Pre-View Layer		
	Mass Edit Tex Hames Report Nations OL Access Reports	

Slide 24 Slide notes:

HES Client v8.29 : My IES Heb Subnit Quit Functions Commends						
Help Subnit Quit Runctions Commands			"			(2) (X)
1 Cornelling 2 Pre Hurr 2 This Te	a					
Registrate Aug Charges Charges	YA	un is whun	Design version Science etc. Contract for Contracts	p#dic		
j j	o 🔬 🕻	••• 1 ∺ €		2		
Appearance and Layout December Pre-View Layout	En	natve Litela Utave Taus Tautianea	IES Business Function Temptals Functions Record Floor Functions Record Nerrol Values OL Access Reports		iave my Wook Histori Szer Siter	
£						

Slide 25 Slide notes:



Slide 26 Slide notes:

ES Client v0. 29 : My IES			L.E.
Help Subnik Quit Runctions Commands			(a) (z) (x)
1Corner 2Pre Mar 3 The Te	# 10#m		
Ban Shide Kay (Ban(1904) (Bangari	Which is Which	Fest 1 Top only Test Doc, Debug All	
		Test Doc, Debug 1 Tag Test Doc, G. Debug only None of these	
Appearance and Layest	Tag Functions	IES Business Functions Save	my Werk
Design Layout Pre-View Layout	Terativa Linda Engl New Taus Mass Edit Teg Harnes	Terrotale Functions Report Reg Functions Report Nerro Values OL Access Reports	Histon Sava Sava
E			

Slide 27 Slide notes:

	ES Client v8.29 : My IES	Companion Wiserd How doll QataMarts	Business Modules Action Focus Carlin	in Select	×
	1 Coracile 2 Pre Run 2 The Tag	• 0	« » 8ī		<ul> <li>∞</li> <li>∞</li> </ul>
	Doc Witter Key T Object Harre Object Harre Object Harre Object Harre T Appearance and Layent	Vinish is Which Training File Executor FileName V127.0.01VBridg Upon Upon Upon Upon Upon Upon Upon Upon	Design Version Ownership Lint Upd By eVD1957957690.Mm Close Publish Inthe File, or CLOSE to gait this function, o for Report in the Report warehouse. IES Business Function	public Terry 010	
Ser	Desian Layout <u>Pre-View Layout</u>	Berahes Units Entit New Tans Mass Edit Tan Names	Template Functions Report Flag Functions Report Name Values OL Access Reports	Sau	

Slide 28 Slide notes:

	ES Client v8.29 : My IES	Companion Wiserd How doll QataMarts	Business Modules Action Focus Carlin	in Select	×
	1 Coracile 2 Pre Run 2 The Tag	• 0	« » 8ī		<ul> <li>∞</li> <li>∞</li> </ul>
	Doc Witter Key T Object Harre Object Harre Object Harre Object Harre T Appearance and Layent	Vinish is Which Training File Executor FileName V127.0.01VBridg Upon Upon Upon Upon Upon Upon Upon Upon	Design Version Ownership Lint Upd By eVD1957957690.Mm Close Publish Inthe File, or CLOSE to gait this function, o for Report in the Report warehouse. IES Business Function	public Terry 010	
Ser	Desian Layout <u>Pre-View Layout</u>	Berahes Units Entit New Tans Mass Edit Tan Names	Template Functions Report Flag Functions Report Name Values OL Access Reports	Sau	

Slide 29 Slide notes:

# 1127.0.0.1 Bridge 01557957690.htm	- Windows Internet Explorer		Jek
(3) (127. D. D. 11(Bridget(D155795769	u kroni.	🖌 🖂 🔀 Loope	P -
File Edit View Favorites Tools Help			
🚖 Pavatas. 🛛 🖕			
O DISSTNETERIN Han		1 · 1 - 2 + • • •	Safety + Toole + 🔞 +
	(10000000000000000000000000000000000000	😧 Internat	7 <sub>8</sub> + 9,100% +
	INTERNET	C INTERNE	all a strong .

Slide 30 Slide notes:

