


New Report	- Wiedows 1	nternet Explorer					-l9
00 1	U127.0.0.19	Bridge(D1:957649900.htm				🚽 🕂 🗶 🚰 Google	4
File Edit View	Favorites	Toolis Help					
x Google		2	🚰 Search • 🕫 • 🖨	- Steer	🐉 • 💷 Selevis	i + 🍯 Check + 📊 Translate + 🎦 Aut	anl • 🌛 🔌 • 🗐 San
Pavarbas	👆 🔊 Free H	ennel 🔊 licorenet Dire 🔹	Dente Ren Galler .				
Bany Report						白・回・日本・	Page + Safety + Tools + 1
Gummy	Hoops	Inc.					
		STORE .	PO Box 10555	0046 Centurion	South Africa	ZAR	
	Tei +	27 12 320 4555 hello@g	ummyhoops.hoop.c	om www.gumm	yhoops.hoop.	com	
	A.9.5				10.011406199		
	т	ax Invoice 01.1000	320-777 Ac	count: 01020 1	ax No 442276	354	
	Ti	ax Registration No 44444	444445		Currenc	y: \$	
					Date: 20/08/2	1010	
DOORNKLOO 11010 - 14 Centurion		S' ASSOCIATION					
	Date	Description	Document Quan	ity 5	Amount Incl	Tax	
	20/08/20:	10 NEKON COOLPTX 8800	3007174	1	175.38 2	1.54	
		10 NIKON EN-EL3 BATTE		1	7.89		
	20/08/20:	10 NIKON SB-600 FLASH	0243138	1	48.67	5.98	
				Before Tax			
				Tax	28.49		
				Inclusive T	otal 231.94		
Termin							
Terms:							

Slide notes: This is an example of an Invoice. On this Invoice, we use a UNIT to display the Line Items on the Invoice, and in the Unit, we use the 'Alpha-Numeric Iteration' Template for some of the Values.



Slide notes: The Description & Document columns both use this kind of Template.







#### Slide 4 Slide notes: Our example is based on a Retail Invoice Report.


TES Client v0.29 : My IES		ue <mark>w</mark>
Help Subnik Quit Runctions Com	vends	
0 0		) ( 2 J ( 2 J
1Cornale 2Pre Mar 2	The Tage g Options	
(time)	temp YALCHISYANNA Retail Invoice, 200, Copy 1 Betail & Distribution Betail & Distribution	
	🔘 💩 🧳 🐜 🖴 🏯 💌 🖄	
Appearance and La Desimi L Poeview Li	enut Brater Urla Templan functions kilon	n Sze Sze
E	OL Access Reports	

Slide 5 Slide notes:


	v8.29 : My IES Quit Functions	Connends		
-				
C	<u>e q</u>	U V	« » :T	• •
1 Conacelle	2Pre Bun	3 The Tegs 4 Options		
	esult Macros: . >>> Taga	Value Baney	Esser It	Where is that tag !
1	0001	Company Rans	LINE IL	Select from Tag List
z	0002	Company Address	1	Select from Lag List
3	0003	Company Contact	1	
4	0030	line	1	Search for Tay Number
5	0004	Invoice Number	1	
5	0015	Customer Account Lode	1	Bearch for Tag Name
7	0016	Customer Tax Munher	1	
Б	0005	Company Tax Runber	1	
2	0028	Currency	1	
10	0006	Invoice Date	1	
11	0029	lins	1	
12	0007	Customer Mane	1	6
13	DODS	Customer Address	1	Current Tag Focus: -
14	0009	Customer Address	1	44
15	0010	Customer Address	1	Row 21
16	0011	Customer Address	1	Teg # 0018
17	0012	Customer Address	1	None Unit Call
15	0013	Customer Address	1	
19	0014	line	1	Open the Tag Macro
20	0017	Currency	1	
21	0018	Unit Call	1	
22	0019	TTT unit dependent	1	
23	0020	TTT unit dependent	1	
24	0021	TTT unit dependent	1	
25	0022	TTT unit dependent	1	
Nex P	n Add na Dd			

Slide notes: Here we see the Tag in the main Document that calls the Unit.

ES Client v8.29 : My IES Help Subnit Quit Functions Commands			
e e	🔍 🕖 < 👋 🕅	_	0 V X
	TEMPLATE 012: Un	it Execution	
	TAG # 9018 Unit Call	0	
	Unit to Call Detr-Sinv-combio DetriSource # DOCWRITESPRE Terration Field # 1		
	Tag Result Tag Result Test Operator Contilional Value	a result ¥	
	Remove Template		
	Bawead Logic	Save	
Session Info Terry is using IES			
Devisol     Application Wit	and " Tog Tempinie: Unit Execution	5. BOFRIEND-TAO-TEMPLATE12	




IES Client v8.29 : My IES     Hep Subnit Quit Functions Commands				
() Q	• • • « »	ii 0	o	e 8
	TEMPLATE 012	: Unit Execution		
	TAO # 9010 Dait Co	111	0	
	Unit to Car Det - Sint DataSource # DDCR03 Bendion Field #	r-comb o ITESPRE 1		
	Tag Result	return a result ¥		
		Template <u>Copy</u> Templ	iate ann	
Session Infor Terry is using IES	Izard 🍅 Tag Tempinte: Unit Execu	don 🚯 BOFRIEND-TAO-TEM	PLATE12 🔞 2	010/08/23 12:52:50
	-		- T	



ES Client v0.29 : My IES Help Subnit Quit Functions Commands			
<b>→</b> 0 Q	♥ <sup>(1)</sup> (1) (1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2	•	Ø (X
	TAO # 9618 Dait Call Unito Cal Unito Cal DataSource # Develop Field # 1		
	Tog Result Test Operator Conditional Value Ramana Template Copy Template		
	Perveal Logic Bave		
Session Info: Terry is using IES	ed 🏠 Tag Templete Unit Execution 🚓 BOFRIB-ID-TAO-TBM-LATE	n2 <b>(S)</b> 2010	106(23 12:52:54

Slide notes: We note also that this type of Unit Call is based on a Data Source, and for this type of Unit the Data Source is often 'docwritespre', i.e. with a pre-prepared record specifically for the Report.


Subnik (	Quit Function	s Connends			
	2	<b>Q</b> (6	) <b>« »</b> IT		(i) (i)
1 Console	2Pre Ru	n 3 The Tege 4 Options			
Tag R	esult Macro	疾 -		Where is that	tag !
	NO Tage	Value Maner	Exer It.		
1	0001	Company Name	1		Select from Teq List
z	0002	Company Address	1		
3	0003	Company Contact	1		Search for Tag Number
4	0030	line	1		
5	0004	Invoice Number	1		Search for Teo Neme
5	0015	Customer Account Dode	1		Search of Lagrance
7	D016	Customer Tax Mumber	1		
Б	0005	Company Tax Number	1		
9	D028	Currency	1		
10	DODS	Invoice Date	1		
11	0029	line	1		
12	0007	Customer Name	1	Current Tag F	
13	0008	Customer Address	1	Carrent ray P	
14	0009	Customer Address	1	Rea 21	
15	D010	Customer Address	1		
15	D011	Customer Address	1	Teg # 0018	
17	0012	Customer Address	1	None Unit Call	
15	D013	Customer Address	1		
19	0014	line	1		Open the Tay Macro
20	0017	Currency	1		
21	0018	Unit Call	1		
22	0019	TTT unit dependent	1		
23	0020	TTT unit dependent	1		
24	0021	TTT unit dependent	1		
25	0022	*** unit dependent	1		
		pa pai			



BES Client v8.29 : My IES Help Subnit Quit Functions Connends			
s 0 Q	• 0 «	» it i	0 Ø 8
1 Conace 2 Pre Bun 2 The Tage 4	Cptons		
Pre Run Process	PRE RUN PARAMETERS: -	Pre Run Assist	0
Results File Results Key	doowritespre *user		
Proceed on Field # Contilional Value			
	DIRECT REFERENCE DATA SOURCES: -		0
1	Data Sources docwritespre	Data Reyr uzercode	
se <b>e</b>			

Slide notes: Here we can see the Data Source listed.

BES Client v8.29 : My IES Help Subnit Quit Functions Commends				
0 Q	• 0 «	» it i		(i) (i) (i)
1 Controle 2 Pris Run 2 This Tage 4	Options			
	PRE RUN PARAMETERS: -		Ene Run Assist 🕕	
Pre Run Process Results File Results Key	doowritespre			
Proceed on Field # Conditional Value				
_	DIRECT REFERENCE DATA SOURCES: -	Taka Kasa	0	
	decwriterpre	Data Keyz uzercode		
	Bre guillins (51 (24)			<b>.</b>
Ser E				




My IES Client v8. 29 : My IES			
Help Subnik Quit Functions Commands			
$\sim 0 - 0$	(0) (0)	« » 11 10	(i) (i) (i)
1 Cornelli 2 Pire Mari 2 This Te	ge gCoptions		
New Yorks New	Which is Which	beigi version print editor	
Charlen Chargers	Retail Invoice, 709, Copy 1 Betail & Distribution	Constraint By Texany Constraint 23746/2914	
	()	🖴 🚠 🔍 🙆	
9			
Appearance and Layest	Tag Functions	IES Business Functions	Save my Work
Design Laword	Receive Litels	Template Functions	Allaria Sizes
Pre-View Lanout	End New Taus Mass Edd Teo Hames	Report Files Functions Report Nerrol Values OL Access Reports	<u>Sana</u>
E			

Slide 13 Slide notes:

	» T T • • •
1 Coracia 2 Pre fuer 2 8 5	
First stars	en deta souacea, plesse choose "deta Data Souacea Direct Source Data Lagoute (document Voter) ted onumer, plesse chome "Voter) Quit
Inc. 2006 (Resold) (Sale	
Appearance and Layeut	IES Business Functions Save my Week

Slide 14 Slide notes:

🙋 IES Client v0. 29 : My IES	
Help Infolds Connections Logon Logoff Companion Witzerd How do I DataMarts Business Modules Action Focus Option Select	
- <b>→ ② Q.   ●</b> ② 《   > 11 ■	() () ()
1 Conaction 2 Price Run 2 The Tage: 4 Options	
SINGLE SELECT: Direct Data Layouts	
Doc White Key Tel Select -	
1 Concrete: Weigh Bill Cost Order	
Objectivane DE 2 Dabtors: Invoice	
Ostegory 3 Debtors: Statement, Balance Forward 4 Debtors: Statement, Open Item	
5 Distribution: Delivery Note, General 6 Distribution: Delivery Note, General 7 Distribution: Deposit Invoice 8 Loans: Statement 9 Purchasing FO Furchase Order 10 Purchasing: GBU Good Received Note 11 Petail: Outstion 12 Retail: Invoice, JOS 13 Petail: Invoice, Sari Sari	
Appearance and Layout	· my Work
Select ALL Show Full Line Cancel OK	
Design Layout End New Tags Report Flag Functions	l Interim Save Save
Mass Edit Teo Names Report Name Values	2009
OL Access Reports	
Sei	
6	



🙋 IES Client v0. 29 : My IES	
Help Infolds Connections Logon Logoff Companion Witzerd How do I DataMarts Business Nodules Action Focus Option Select	
- <b>→ ② Q,                                   </b>	() () ()
1 Console 2Pre Run 2 The Tage 4 Options	
SINGLE SELECT: Direct Data Layouts	
Doc Whiter Key Tel Select -	
1 Concrete: Weigh Bill Cost Order	
Objectivane DE 2 Dabtors: Invoice	
Cotegory 3 Debtors: Statement, Balance Forward 4 Debtors: Statement, Dpen Item	
S Distribution: Delivery Note, General	
<ul> <li>5 Distribution: Delivery Note, Sari Sari</li> <li>7 Distribution: Deposit Invoice</li> </ul>	
8 Loans: Statement 9 Purchasing: P0 Furchase Order	
10 Furcharing: GRM Goods Received Note	
11 Retail: Outation 12 Retail: Invoice, 705	
13 Petail: Invoice, ODP 14 Retail: Invoice, Sari Sari	
Provide and the second	
Appearance and Layout	my Work
Select ALL Show FullUre Cancel OK	
Design Layout	Interim Save
Pre-View Layout Find New Tans Report Flag Functions Mass Edit Tao Names Report Memo Values	Sava
OL Access Reports	
Set	
E	

Slide notes: From the Metadata, we can retrieve the Data Source Layout.

0	ES Clien	nt v8.29 :	My IES			
Help	9 Subnik	Quit Fu	nctions Commands			
ľ			Q • 0 « » 11	-	6	<ul> <li>×</li> <li>×</li> </ul>
		D	ocument			
						Next
	Metail		, Warehouse ODP - Direct Data Layout	^		
	The De	shadl Terr	voice Data are pre-formatted to a 'dorwritespre' source record before			
	calling	ig Docume	ent Weiter. If this report (RETAIL-INV-COMBO, RETAIL-INV-COMBO-2,			
			ND-FX, FETAIL-INV-COMBO-FX-2  is re-created as a modified version (swap), layout may be accessed as follows: -			
			rajone mag be decence ab correct	1		
	Field		Data 			
			ne Detail (multi valued), Invoice Currency e.g. Local or Fores			
	La		Transection Dete		Minke in copy -	Text Copy
	2,n		Description			
	3,n		Item Code			
	4,n		Quantity			
	5,n.		Amount (inclusive)		Search Physice	
	ő,n		line Tax			
	7,n		Amount (exclusive)			
	ā,n		line Discount Ant			
	9,n		Serial / Batch No			
	10,n		Delivery Mote Number		Search the IBS wells of	n-line documentation
	Transa	action Li	ine Detail (multi valued), Local Currency		try typing e phrase, th	en choose "search".
	51,n		Amount (inclusive)			
	52,n		line Tax			Bearch
	53,n		Amount (exclusive)			
	54, n		Line Discount Ant			
				*		
Set				2		
E			Doo Key dds-layout-09			
			DOD KWY SHIRE THE PART OF			
_	_					


Slide notes: We will connect the Tags back to this Layout, to understand where we get the answers from.

8	ES Client v8	. 29 : My IES			×
Help	Subnik Qui	t Functions Commands			
-		) Q () (( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )		(i) 🗸 😣	
		Document			
		Document			
				Net	
	Retail Tos	roice, Warehouse ODP - Direct Data Leyout			
		arc) archite on arrest arrest			
	The Retail	Invoice Data are pre-formatted to a 'dorwnitespre' source record before			
	calling Do	cument Writer. If this report (RETAIL-INV-CONBO, RETAIL-INV-CONBO-2,			
		-COMBID-FX, RETAIL-INV-COMBO-FX-2  is re-created as a modified version (swap), lata layout may be accessed as follows: -			
	Field #	Data			
		m Line Detail (multi valued), Invoice Currency e.g. Local or Forex			
	La	Transaction Date		Make a copy - Text Copy	
	2,n	Description			
	3,n 4,n	Item Code Quantity			
	5,n	Amount (inclusive)		Search Plwase	
	6,n	line Tax			
	7,n 8,n	Amount (exclusive) ling Discount Amt			
	9,n	Serial / Batch No			
	10,n	Delivery Note Wumber		Search the IES wells on-line documentation	
	Transactio	n Line Detail (multi valued), Local Currency		Iry typing n phrase, then choose "search".	
	51,n	Amount (inclusive)			
	52,n	line Tax		Bearch	
	53,n 54,n	Amount (exclusive) line Dipcount Amt			
Sei			Σ		
Ê		Doc Key dds-layout-09			


Slide 18 Slide notes:

	• » T 0	(a) (x) (x)
a dCebona	_	
cemp March Is vanue Istall Invoice, FOB, Copy i Betall & Distribution	Design version Constraint Constraint Constraint Constraint Constraint Constraint Constraint Constraint Constraint	
🔘 🏜 🧭 🗛	📤 🏦 💽 🙆	
Tag Functions	IES Burdners Functions	Save my Work
Taratwe Lints Englisher Taux Mass Edit Tao Hierres	Terrolate Functions Record Rea Functions Record Neuron Values OL Access Records	kikin Say Sas
	E GOSTONE DOCUMENT WRITER COP MENT WRITER ETAIL Invoice, POS, Copy 1 Betall & Distribution CO MARK STATE Tag Functions Tag Functions	DOCUMENT WRITTER The second s

Slide 19 Slide notes:



### Slide 20 Slide notes:




### Slide 21 Slide notes:

ES Client v8.29 My	y HES						
Help Subnik Quit Functio	ons Comm	ands					
> 0	9		0	(C))			() () ()
_	Ď	OCUME	ENT WRITER H	TML UNIT			
Doc YARM DO							
			Which is Which			1.5.5	
1.1.2	and the part	tail Invoice			1.017-300099) Hit 110		
		allin	41610 001		or in Loss Librards (* )	overne.	
Duh	erster -						
	~	with the second	Value Reast	Exec Iteration			Same
	1 0		Date .	ixed iteration	-		path
		anz	Descr	1			ct Tag Order
	3 0		Dac	i		HO-DRIV	COLUMN THE COLUMN
	4 0		Qty	1			
		005	Anount	1			
	5 D		Taz	1		NAV	
						LAS	(man)
							2 · · · · · · · · · · · · · · · · · · ·
					-1	100	
	Neu Pre-	Lai In Di	Cel		-	10	
2	BUILD'S	and in the second					
16025					6	54	Access 1
27.2957						and the second s	「「注
	10				a fill		
teri.	Nata: Th	in their indicate	s and shares pre-run				
1			h the calling Document.				
	and that	d of the case will	time cannot be cannot				

Slide notes: This is our Unit example for this Report, and the 'Description' Tag uses the Template for Alpha-Numeric Iteration.

IES Client v8.29 : My IES p. Subnit: Quit: Functions: Comme	ends			Je
ə (Ə) Q,	• • •	« »		() () ()
	TEMPLATE 0	15: Alpha-Num	eric Iteration Value	
	TAG # 0002			
	Name Descr		Teg.Addressing relative	
	Deta Field # 2			
			Algorent I: left justified ResultVieth 40	
			Bold ? ROFINAL	v v
	Remove Template		Underline ?   NORMAL	×
	Reveal Logic	Save	TegRend ALWAYS PETURE & RES	SULT V
			Operator   Constitional Value	•
ision Infor Terry is using IES				
Devtool	Application Witzard	Tag Tempinte: Alpha-numeric	5. BOFRIEND-TAG-TEMPLATE16	3010/08/23 13:49:22



🙋 IES Client v8.29 : My Help Subnit Quit Functio					
+ ()	<b>q. v</b> C	) « »		6 Ø	(X)
	TEMPLATE	015: Alpha-Nume	eric Iteration Valu	ie	
	TAO # 0002			0	
	Nome Desca	1	ing.Addressing relative	•	
				_	
	Critio Field # 2				
			Algonent 1: left justifi	ed 💌	
			Result Watth 40		
			Bold ? NORMAL	v v	
	Remove Template		Underline ? NORMAL		
	RevealLogic	Bave	TepResult ALMAYS RETURN A	RESULT V	
			Operator -	*	
Session Infor Terry is usin Devical	g TES Application Wizard	🍃 Tag Templete: Alpha-numeric	5. BOFRIEND-TAG-TEMPLAT	216 🚫 2010/08/23 13:	49.22
-				-	

Slide notes: The answer comes from Data Field number 2, which we can also see on the Data Layout.

ES Client v8.29 : My IES Help Subnik Quit Functions Commer	erk.				
9 Q		« »		(i) (i)	(X)
	TEMPLATE C	15: Alpha-Num	eric Iteration Value		
	TAG # 0002				
	Name Descr		Top Addressing selective		
	Deto Field #				
			Algorent 1: left justified	•	
			Result With 40 Bold ? NORMAL		
	Remove Template		Underline ? NORMAL	*	
	Reveal Logic	Save	TegResult ALMAYS PETURN A RE Operator -	- TIUE	
		4	Conditional Value		
Session Info Terry is using IES					
Devical	Application Witzard	🏠 Tag Tempinte: Alpha-numeric	5. BOFRIEND-TAG-TEMPLATE16	3010/08/23 13:48	24

Slide 25 Slide notes:

📑 T155764654	6.TXT - Notepad
File Edit Format	View Help
Retail Invoice	, Warehouse 00P - Direct Data Layout
The Retail Inv	pice Data are pre-formatted to a 'docuritespre' source record before
	AT Writer. If this report (BETAIL-INV-COMBO, BETAIL-INV-COMBO-2,
RETAL-INV-COMP	D-FX, RETAIL-INV-COMPO-FX-2) is re-created as a modified version (swap),
then the data	layout may be accessed as follows: -
Field f	Data
Transaction Liv	ne Derail juniti valuedi, Invoice Currency e.g. Local or Fores
	an openii (mutt omion), incluse currenty a.g. boomi of voren
1,n	Transaction Date
2,n	Description
3,n	Item Code
4,8	Quantity
5,n	Anount (inclusive)
6,8	line Tax
7,a	Anoust (exclusive)
9,11	line Discount Ant
9,n	Serial / Eatch Mo
10,n	Delivery Monte Wunder
Transaction Liv	ne Decail (multi valueš), Local Durrency
\$1,n	Amount (inclusive)
\$2,n	Line Tax
\$9.a	Amount (exclusive)
\$4,n	line Discount Ant
Totals in Invo	ice Durrency e.g. Local or Fores
20	Invoice Total excluding Tax
21	Invoice Total Tax
22	Invoice Total including Tax
65	Frepaid Amount or Deposit
Totals in Local	1 Durrency
61	Invoice Total excluding Tax
62	Invoice Total Tax
63	Invoice Total including Tax
64	Prepaid Amount or Deposit
Other Indicator	
17	Copy (says COPY if it is a copy, else mull)
<u>&lt;</u>	

Slide 26 Slide notes:

📑 T155764654	6.TXT - Notepad
File Edit Format	View Help
Retail Invoice	, Warehouse 00P - Direct Data Layout
calling Documents RETAL-INV-COMP	vice Data are pre-formatted to a 'docuritespre' source redord before ne Writer. If this report [BETAIL-INV-COMBO, BETAIL-INV-COMBO-2, D-FX, RHIAIL-INV-COMBO-FX-2] is re-created as a modified version (swap), layout may be accessed as follows: -
Field #	Data
Transaction Lin	ne Detail (multi valueŭ), Invoice Currency e.g. Local or Fores
1,n	Transaction Date
2,n	Description
3,n	Item Code
4,8	Quantity
5,n	Anount (inclusive)
6,8	line Tax
7,a	Amount (exclusive)
9,8	line Discount Ant
9,n	Serial / Batch No
10,n	Delivery Monte Humber
Transaction Liv	ne Decail (multi valueš), Local Currency
\$1,n	Amount (inclusive)
\$2,n	line Tax
\$2.n	knownt (exclusive)
\$4,n	line Discount Ant
Totals in Invo	ice Durrency e.g. Local or Fores
20	Invoice Total excluding Tax
21	Invoice Total Tax
22	Invoice Total including Tax
65	Frepaid Amount or Deposit
Totals in Local	1 Currency
61	Invoice Total exclusing Tax
62	Involce Total Tar
63	Invoice Total including Tax
64	Prepaid Amount or Deposit
Other Indicator	
17	Copy (says COPY if it is a copy, else mull)
1	

Slide 27 Slide notes:

d IES Client v8.	29 : My IES						LICE
Help Subnik Quik	Runctions Co	onnends					
	) Q		(0) (0)	« »			(#) (*) (×)
		DOCUN	IENT WRITER HT	ML UNIT			
the	yata tarata	ticagi.	Which is Which		Country In Court		
	Margaritz-	Retail Invol			Lost Loss 23/		
	Chutaeship			meconin	Loss Company 2		
	Contenting						
		300-HTHL Tax	r Value Reast	Exec Iteration	141		Same
	1	DOD1	Date	1	4	10	and New Tag
	2	0052	Descr	1			et Tag Order
	3	0003	Doc	1			
		0004	Qty	1			
	5	0005	Asount	1		1000	( and the second s
	5	DODS	Taz	1		NAV2	
	Beel	Breland to LE	a cel	2	-	Ç.	)
						0400	
	140825						A
						_	<b>XX</b> =
	1.57						
100							
			elts and shares pre-run				
8	and	Data Sessores v	with the calling Document.				

## Slide 28 Slide notes: Likewise for the 'Doc' Tag.


EIES Client v8.29 : My IES Hep Subnit Quit Functions Comme	ands				
+ 0 Q	• 0	« »		6 Ø (	x)
_	TEMPLATE 0	15: Alpha-Num	eric Iteration Value		
	TAG # 0003				
	None Boo		Teg.Addressing relative	*	
	Deta Field # 3			_	
	Und Point -				
			Algonent 1: left justified	*	
			Result With 15		
	Common Terrestelle		Bold ? NORMAL Underline ? NORMAL	*	
	Remove Template		Olicite Products		
	Reveal Logic	Save	TegRecut ALMAYS PETURE A PE	ESULT	
			Operator	•	
		0	Contillional Visitue		
ession Infor Terry is using IES	Application Witzard	🏠 Tag Tempinis: Alpha-numeric	5. BOFRIEND-TAG-TEMPLATE16		
Bicoun		B. Influence of the second	27 DOLLAR DOLLAR DOLLAR	0	

Slide 29 Slide notes:

ES Client v8.29 : My IES Hep Subnit Quit Functions Commands				
(?) Q	• 0	« »		6 Ø 8
	TEMPLATE 0	)15: Alpha-Nume	eric Iteration Value	
	TAG # 1083			0
	None Doo	1	Teletive	•
	Creto Field # 3			
	Bernove Terreslate		Algonent I: left justified ResultWidth Bool? REPAL Underine? REPAL	¥ ¥
	Reveal Louis	<u>Bave</u> Co	Teg Result ALMAYS RETURN A RESU Operator - multional Value	•
Session Infor Terry is using IES				
🗊 Devitool	Application Witzard	Tag Tempinte: Alpha-numeric	5. BOFRIEND-TAO-TEMPLATE16	

Slide notes: The answer is from Data Field number 3.

IES Client v8.29 : My IES p. Subnit: Quit: Functions: Commo	ends			
₽ 0 Q	• 0	« »		-
	TEMPLATE 0	15: Alpha-Num	eric Iteration Value	
	TAG # 1003			
	Name Doo		Tag.Addressing relative	
	Deto Field #			_
			Algoneri 1: 1eft justified	
			Reput Water 15	
			Bold ? RORMAL	*
	Bernove Template		Uniterine ?   NORMAL	×
	Reveal Logic	Save	TegResult ALMAYS RETURN & RE-	3011
			Operator -	•
			Contillional Viniue	
Con Info Terra la sector III.				
ision Infor Terry is using IES Devtool	Application Wizard	🔈 Tag Tempinte: Alpha-numeric	5. BOFRIEND-TAG-TEMPLATE16	
1 00000	- Attacate and a	P 101 Internet of the second	12 COLUCIA COLOR COLOR	O MININE MARK



T155764654	6.TXT - Notepad
File Edit Format	View Help
Retail Invoice	, Warehouse GDP - Direct Data layout
calling Docume RETAL-INV-COMP	oice Data are pre-formatted to a 'docuritespre' source record before ne Writer. If this report [BEFAIL-INV-COMBO, REFAIL-INV-COMBO-2, D-FX, RETAIL-INV-COMBO-FX-2) is re-created as a modified version (swap), Layour may be accessed as follows: -
Field f	Data
Transaction Li	ne Detail (multi valued), Invoice Currency e.g. Local or Fores
1,n	Transaction Date
2.n	Description
a,n	Item Code
4, n	Quantity
S.n.	Amount (inclusive)
6,8	line Tax
7,a	Amount (exclusive)
9,8	line Discount Ant
9,n	Serial / Batch Ho
10,n	Delivery Note Humber
Transaction Li	ne Detail (multi valueš), Local Currenzy
\$1,n	Amount (inclusive)
\$2,n	Line Tax
\$3,n	knownt (exclusive)
54,n	line Discount Aut
Totals in Invo	ice Durrency e.g. Local or Fores
20	Invoice Total excluding Tax
21	Invoice Total Tax
22	Invoice Total including Tax
65	Frepaid Amount or Deposit
Totals in Loca	1 Currency
61	Invoice Total excluding Tax
62	Invoice Total Tax
63	Invoice Total including Tax
64	Frepaid Amount or Deposit
Other Indicato	F8
17	Copy (says COPF if it is a copy, else mull)
<	

Slide 32 Slide notes:

📑 T155764654	s.TXT - Notepad
File Edit Format	View Help
Retail Invoice	, Warehouse ODP - Direct Data Layout
calling Documes RETAL-INV-COMBO then the data b Field f	oice Data are pre-formatted to a 'docuritespre' source record before or Writer. If this report [RFAIL-INV-COMBO, RFAIL-INV-COMBO-2, OFV, REFAIL-INV-COMBO-FN-2) if re-erreated as a modified version (swap), layout may be accessed as follows: - Data  Data  be Data (uniti valued), Invoice Currency e.g. Local or Fores
1,n	Transaction Date
2,n	Transaction Date Description
	Description Team Code
3,n	
4,n 5,n	Quantity Amount (inclusive)
s,n s,n	Andrait (inclusive) Line Tax
9,n 7,n	Alme fax Racourt (scilurive)
9.n	Andrait (seclarity)
9,n 9,n	line Pictourt and Secial / Barch Bo
9,n 10,n	
10,n	Delivery Note Number
Transaction Liv	ne Detail (multi valued), Local Currency
\$1,n	known: (inclusive)
\$2,n	line Tax
\$3,n	Anount (exclusive)
54,n	line Discount Ant
Totals in Invo	ice Currency e.g. Local or Fores
20	Invoice Total excluding Tax
21	Invoice Total Tax
22	Invoice Total including Tax
65	Frepaid Azount or Deposit
Totals in Local	1 Currency
61	Invoice Total exclusing Tax
62	Invoice Total Tax
63	Invoice Total including Tax
64	Frepaid Amount or Deposit
Other Indicator	re
17	Copy (says COPY if it is a copy, else mull)
3	

Slide notes: This Template is ALWAYS used with a Data Source Record where the Unit is based on an included Data Set where a number of Fields have correlated multi or iterative Values.