#### Slide 1 - Slide 1

S Client v8.29 : My			
Submit Quit Function	2001 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 - 1000 -		
	લ 🤍		0
	Query Builder		
		Save	
Guery Key		Execute Execute	
		Query Fields	
		1 Remove	
		Copy	
		Data Selector Wizard Notes	
Description	new query		
	-		
	☐ Omit Column Headers ✓ Enable Mutti-Values		
	<u></u>		
Target Environment Delimiter			
Data Source		Owned By	
		Owned By Last Updated On	
Data Source		Last Updated On	
Data Source			
Data Source		Last Updated On Query Fields must be selected with the You may USE another User's Query,	

#### Slide notes

Any User may retrieve any existing Data Query with the lookup. That does not mean that the User can use or change the Query. A Query can be found by typing some part of the name of that Query.

## Slide 2 - Slide 2

🛃 IES Client v8.29 : My I	ES			_ 🗆 🗙
Help Submit Quit Functions	s Commands			
()	۹ ۴	0 <b>« »</b> it L	(i)	×
	Query Builder			
			Save	
Guery Key	ledger		<u>Execute</u>	
		Query Fields	Select Query Fields	
			Remove	
			Copy Data Selector Wizard	
	a search string OF use the lookup		Notes	
	new query		<u>^</u>	
Description	men darri			
	Comit Column Headers			
	Enable Mutti-Values			
Target Environment			<u>×</u>	
Delimiter Data Source	1	Owned By		
Data Selector		Last Updated On	N	
		Query Fields must be selected with the	You may USE another User's Query,	
		SELECT QUERY FIELDS button, but	but you cannot change it. However, you	
		unwanted fields can be removed from	can use COPY to make your own version	
	Total Contract Contractory Contractory	the grid with the DEL key	which you can then change.	
Sec				
É				
-				
and the second s				14

# Slide 3 - Slide 3

ie 🛃	S Client	v8.29:My	IES													
Help	Infolab	Connections	Logon Logoff	Companion	Wizard H	low do I	DataMart	s Business (	Modules Ac	tion Focus	Option Select					
- 10		?	9,	_	-	2	$\odot$			in the		_	_		<ul> <li>Image: Image: Ima</li></ul>	×
																_
			Query	Build	er											
					25.07										Save	_
		Query Key	ledger												Execute	
							- 1	Que	ry Fields	3				Select Que	ery Fields	
								1	- 01						Remove	
														Data Selecti	Copy or Wizard	
			a search th	ing:06 une the	lookup :							Notes				
		Description	new query	(											~	
		Lesen (Million			SELECT:											
					CT ONE		ESE?					i				
					ys-00003 ys-00005				edger Qu edger Tb						_	
			w window												3	
	Targ	et Environment Delimiter	23		t ALL	Show F	Full Line	Cancel		ок						
		Data Source		L							Owned B	2011				
		Data Selector								1	ast Updated O	n				
							1	Que	ry Fields mu:	st be select	ed with the	Y	ou may USE	another User	's Query,	
									SELECT QUE					hange it. How		
								unv	vanted fields the g		DEL key	can us		nake your ow I you can ther		
See																
É																

#### Slide 4 - Slide 4

# Slide 5 - Slide 5

ie 🛃	S Client	v8.29:My	IES													
Help	Infolab	Connections	Logon Logoff	Companion	Wizard H	low do I	DataMart	s Business (	Modules Ac	tion Focus	Option Select					
- 10		?	9,	_	-	2	$\odot$			in the		_	_		<ul> <li>Image: Image: Ima</li></ul>	×
																-
			Query	Build	er											
					25.07										Save	_
		Query Key	ledger												Execute	
							- 1	Que	ry Fields	3				Select Que	ery Fields	
								1	- 01						Remove	
														Data Selecti	Copy or Wizard	
			a search th	ing:06 une the	lookup :							Notes				
		Description	new query	(											~	
		Lesen (Million			SELECT:											
					CT ONE		ESE?					i				
					ys-00003 ys-00005				edger Qu edger Tb						_	
			w window												3	
	Targ	et Environment Delimiter	23		t ALL	Show F	Full Line	Cancel		ок						
		Data Source		L							Owned B	2011				
		Data Selector								1	ast Updated O	n				
							1	Que	ry Fields mu:	st be select	ed with the	Y	ou may USE	another User	's Query,	
									SELECT QUE					hange it. How		
								unv	vanted fields the g		DEL key	can us		nake your ow I you can ther		
See																
É																

# Slide 6 - Slide 6

🧖 II	S Client	v8.29 : My	i IES										
Help	Infolab	Connections	Logon Logol	f Companion	Wizard How do	I DataMarts	Business M	Iodules Act	ion Focus Op	ition Select			
		(?)	9			$\odot$			in interest		\$	<ul> <li>Image: A second s</li></ul>	(X)
			Quen	Build	er								_
												<u>Save</u>	_
			1									Funda	
		Guery Ke	ledger									Execute	
						-		y Fields		-	Select Que	- Constanting	
							1					Remove Copy	
											Data Select		
			a search a	oing OR use the	kéakiaa 🗉						Notes		
		Description	new query	1									
		e-e-s-eription										- 11	
				C Omit Colu	mn Headers							- 11	
				🔽 Enable M									
						10				-1	C	×	
	Tar <u>c</u>	jet Environmen Delimite		997S		_							
		Data Sourci								Owned By			
		Data Selecto	15)						Last	Updated On			
						1	Quer	v Fields must	t be selected v	with the	You may USE another User	le Querv	
									RY FIELDS but		but you cannot change it. How		
							unw		can be remove		can use COPY to make your ow		
				- Service of America	2.0000000			the gri	id with the DEL	. кеу	which you can the	i change.	
Ses													
É													1
1000													
1													1

Slide notes

#### Slide 7 - Slide 7

🛃 IES Client v8.29 : My I	ES			
Help Submit Quit Functions	s Commands			
(?) (C	ર 🔍	0 <b>« »</b> it <b>u</b>	* 🖉	×
				_
	Query Builder			
			Save	_
Query Key	sys-00003 Lookup ?		Execute	
	Recent Values	Query Fields	Select Query Fields	
		1 RKEY	Remove	
		2 descr 3 act-ptd	<u>Copy</u>	
			Data Selector Wizard Notes	
Description	Ledger Query			
	Omit Column Headers			
	✓ Enable Multi-Values			
Target Environment	w windows	· · · · · · · · · · · · · · · · · · ·	٤ ،	
Delimiter			The second	
Data Source	ledgermast ledger-all ALL OF THE LEDGER	Owned By Last Updated On		
Data Scipcio		Last opuada on		
		Query Fields must be selected with the	You may USE another User's Query,	
		SELECT QUERY FIELDS button, but unwanted fields can be removed from	but you cannot change it. However, you can use COPY to make your own version	
	then choose SELECT QUERY FIELDS:	the grid with the DEL key	which you can then change.	
Ses				
É				
				_

# Slide notes

A Query can also be found by choosing the lookup.

#### Slide 8 - Slide 8

🛃 IES Client v8.29 : My				
Help Submit Quit Function	is Commands			
· · · · · · · · · · · · · · · · · · ·	۹. ۴	0 « » IT C	÷ 📀	×
	Query Builder			
L			Save	_
Query Key	зуз-00003 Lookup ?		<u>Execute</u>	
	Recent Values	Query Fields	Select Query Fields	
		1 RKEY	Remove	
		2 descr 3 act-ptd	<u>Copy</u>	
			Data Selector Wizard Notes	
			10105 A	
Description	Ledger Query			
	🦵 Omit Column Headers			
	🔽 Enable Multi-Values			
Target Environment	w windows	×	<u>&lt;</u>	
Delimiter	,			
Sec. Martin Annual Contraction	ledgermast ledger-all ALL OF THE LEDGER	Owned By	Terry 30/06/2008	
Data Selector	TENGEL-GIT ADD OF THE DEDOER	Last Updated On	3070072000	
		Query Fields must be selected with the	You may USE another User's Query,	
		SELECT QUERY FIELDS button, but	but you cannot change it. However, you	
		unwanted fields can be removed from the grid with the DEL key	can use COPY to make your own version which you can then change.	
Sec				
É				

Slide notes

#### Slide 9 - Slide 9

ie 🛃	S Client	t v8.29 : My	( IES											
Help	Infolab	Connections	Logon Logoff	Companion Wi	zard How do I	DataMart	s Business M	odulės Acti	ion Focus O	ption Select				
٠	~~	()	Q	_	•	Ð	«	»	191			\$	Ø	×
			Query	Builder										
													Save	
		Query Ke	sys-00003										<u>Execute</u>	
							Quer 1 RKE	y Fields Y		-		<u>Select Quer</u>	r <u>y Fields</u> Remove	
							2 des 3 act	cr -ptd					Copy	
							Jacc	-pcu			Notes	Data Selecto	<u>r Wizard</u>	
			1								NAMES -		~	
		Descriptio	Ledger Que	SINGLE SE	ECT: PLEAS	E CHOOSE	E DATA SELE	CTOR TO	USE				- 11	
				CHOOSE	ONLY 1 .	••							- 11	
				□ 1 By 0 □ 2 By D	wner escription								- 11	
				I Z BY D	escription								-	
	Tar <u>c</u>	jet Environmer	w window	s Select AL	Chau	Full Line	Cancel	11	ок	r			2	
		Delimite	, ledgermast		SHOW	FuilLine	Cancer		OK		_	Terr	v	
		Data Sourc	ledger-all	ALL OF THE 1	EDGER				Lac	Owned By t Updated On	N	30/06/200		
		pote donote							1.000	e oponacou un	St.			
			To have been				Query	/ Fields must	t be selected <sup>.</sup>	with the		nay USE another User's		
									RY FIELDS but			annot change it. Howe OPY to make your own		
							unwa		can be remov id with the DE		can use co	which you can then		
See														
É														
toes:														

#### Slide notes

In the case of the Lookup, we can choose to find only Queries that belong to us, or we can find the Query by Description, in which case it can be anybody's Query.

# Slide 10 - Slide 10

🛃 IES Client v8.29 : My IES				
Help Submit Quit Functions Comma	ands			
4 (?) Q		0 <b>« »</b> IT <b>U</b>	\$	<ul> <li>×</li> </ul>
Pie	ease Choose the I	Data To Select -		
	The selection tips tell you what kind	You may change any 'My Choice'		
	of selection rule is being applied	value to prescribe which data should be selected		
	Selection Tip	My Choice		
	l Description = ?	[]		
	2 User Code = ?	tt:		
<u>Nex</u>	Pre Add ins Ed Del		'	
É				

## Slide 11 - Slide 11

🛃 IES Client v8.29 : My I			
Help Submit Quit Functions	6 Commands		
- (?) (	<b>4</b> ()	« » ī	🔅 🐼 🗙
	Please Choose the Data	To Select -	
			Ŭ
	The selection tips tell you what kind	You may change any 'My Choice'	
	of selection rule is being applied 🤝	value to prescribe which data should  🤝	
	Selection Tip	be selected 💙 My Choice	-
	1 Description = ?	[]	
	2 User Code = ?	tt	
	-		
			<b>-</b> [
	Nex Pre Add Ins Ed Dei	ļ	-
Ses			Next
É			

# Slide 12 - Slide 12

🛃 IES Client v	/8.29 : My I	IES											
Help Infolab 🔾	Connections	Logon Logoff Co	ompanion Wizard	How do I	DataMarts	Business Mo	odules Actio	on Pocus Op	tion Select				
	?	9		Ф.—	$\odot$		»»	in i think	-0-	_		<ul> <li>Image: A second s</li></ul>	×
		Query B	uilder									Paus	
												Save	
	Guery Key	sys-00003										<u>Execute</u>	
						Query 1 RKEY	7 Fields 7		-		Select Que	ery Fields Remove	
		Í	SINGLE SELECT	: DATA SI	LECTION					Ő	0.00	<u>Copy</u>	
		To re-line a curr a search mingr	KEY			:DESCR	IPTION		:		Data Select	or Wizard	
	t Environment Delimiter		Aforeca:           2         Audcwmag           3         Ctos-tet           4         Dq00010           5         Ecout           6         Elecrec:           7         Payroll:           8         Sys-0000           9         Sys-0000           10         Sys-0000           11         Sys-0000	opers 1 0002 cesult 03 05 06		Audit Se Teu Thro Users On Intra Tr Electric Payroll Ledger Q Ledger T Chart Of	Ies ansfer Ou ity Recou Result uery b Accounts	odes utbound (e veries			Ter: 30/06/20		
Se:			Select ALL		III Line		ELECT QUER	Y FIELDS butt	ed from	but you ca	ay USE another Use nnot change it. How PY to make your ow which you can the	ever, you n version	

# Slide 13 - Slide 13

🛃 IES Client v8.29 : M	ty IES					
Help Infolab Connection	s Logon Logoff Co	ompanion Wizard How do I	DataMarts Business Modules Acti	an Focus Option Select		
· · · · · · · · · · · · · · · · · · ·	9,		() <b>(( )</b>	- in the second se		<ul> <li>(x)</li> </ul>
	Query B	Builder				
					1	<u>Bave</u>
Query H	ey sys-00003				Exe	cute
			Query Fields 1 RKEY	-	<u>Select Query Fi</u> <u>Ren</u>	elds nove
		SINGLE SELECT: DATA SI	ELECTION			<u>yqoC</u>
		КЕЧ	:DESCRIPTION	ŧ	Data Selector Wi	zard
Target Environm Delim	er / Ce ledgermast	1Aforecastd2Audcwmappers3Ctos-teu4Dq000105Ecout6Elecrecov027Payrollresult8Sys-000039Sys-0000510Sys-0000611Sys-00008	Asset Detail Ford Audit Selector Co Teu Throughput Users On Ies Intra Transfer On Electricity Reco Payroll Result Ledger Query Ledger Tb Chart Of Accounts Export Consolidat	odes utbound (ecout veries s Export	Terry 30/06/2008	
Se:		Select ALL Show Fu	SELECT QUER unwanted fields of	DK Y FIELDS button, but can be removed from d with the DEL key	ay USE another User's Qu but you cannot change it. However, can use COPY to make your own ver which you can then chan	you sion

#### Slide 14 - Slide 14

ESClient v8.29 : My Help Submit Quit Function				
		0 <b>« »</b> it i	* 0	×
	Query Builder			
			Save	
Query Key	sys-00003		Execute	
		Query Fields	<u>Select Query Fields</u> Remove	
		2 descr	<u>Kemove</u> <u>Copy</u>	
		3 act-ptd	Data Selector Wizard	
			Notes	
Description	Ledger Query			
	Omit Column Headers			
	Enable Multi-Values			
Target Environment	w windows	-	<u>&lt;</u>	
Delimiter	,			
Data Source Data Selector	ledgermast ledger-all ALL OF THE LEDGER	Owned By Last Updated On	17. BOARD ROOM ROOM ROOM ROOM ROOM ROOM ROOM RO	
			A contract of the second	
		Query Fields must be selected with the SELECT QUERY FIELDS button, but	You may USE another User's Query, but you cannot change it. However, you	
		unwanted fields can be removed from	can use COPY to make your own version	
		the grid with the DEL key	which you can then change.	
*				
E				

Slide notes

## Slide 15 - Slide 15

Cuery Key sys-00003   Cuery Key sys-00003   Cuery Key sys-00003   Cuery Key sys-00003   Cuery Fields Select Query Fields   Cuery Fields Select Query Fields   Cuery Cuery Select Query Fields   Cuery Cuery Cuery   Cuery Fields Select Query Fields   Cuery Cuery Cuery   Cuery Fields Select Query Fields   Cuery Cuery Cuery   Cuery Fields Select Cuery Fields   Cuery Cuery Cuery   Cuery Fields Select Cuery Fields   Cuery Cuery Cuery   Cuery Fields Select Cuery   Cuery Cuery Cuery   Cuery Fields Select Cuery Fields   Cuery Fields Select Cuery   Cuery Cuery Cuery   Cuery Fields Select Cuery   Cuery Cuery <th>🛃 IES Client v8.29 : My</th> <th></th> <th></th> <th></th> <th>_ 🗆 🔀</th>	🛃 IES Client v8.29 : My				_ 🗆 🔀
Cuery Key       \$ys=00003       Execute         Recent Values       Recent Values       Select Ouery Fields         Para stream Cuery       RKEY       Select Ouery Fields         Description       Ledger Query       Onti Column Headers         Image: Control Column Headers       Onti Column Headers       Notes	(?)	1997 - 19 <u>8</u> 7	« » ii 🗆	\$ 0	(X)
Cuery Key Sys-00003     Lookup ?   Recent Values     Cuery Fields     Query Fields     Netes     Conv     Description     Ledger Query     Omit Column Headers   Enable Multi-Values		Query Builder			
Lookup ? Recent Values Description Ledger Query Comit Column Headers Comit Column H				Save	
Query Fields       Select Query Fields         In reduces a constrained Query prieds       I         In reduces a constrained Query       I         In reduces       I	Guery Key	Lookup ?		Execute	
Description Ledger Query  ○ Omit Column Headers  ⓒ Enable Multi-Values		1	1 RKEY	Remove	
☐ Omit Column Headers ☑ Enable Multi-Values			and a second sec	Data Selector Wizard	
✓ Enable Multi-Values	Description	Ledger Query		<u></u>	
Target Environment w Wildows	Target Environment	w windows	<u>.</u>	<u>s</u>	
Deliniter / Dets Source ledgermast Owned By Terry				Tavry	
Data Source     Ledgermast     Owned By     Terry       Data Selector     Ledger-all ALL OF THE LEDGER     Last Updated On     30/06/2008		and the second se			
Query Fields must be selected with the         You may USE another User's Query,           To build a NEW Query, just choose a         SELECT QUERY FIELDS button, but         but you cannot change it. However, you           Dend?, Date Source and Date Selector,         unwanted fields can be removed from         can use COPY to make your own version           then choose SELECT QUERY FIELDS         the grid with the DEL key         which you can then change.		Dentr, Data Source and Data Selector,	SELECT QUERY FIELDS button, but unwanted fields can be removed from	but you cannot change it. However, you can use COPY to make your own version	
Ses E					

Slide notes

## Slide 16 - Slide 16

🛃 IES Client v8.29 : My				<u> </u>
Help Submit Quit Function				
· (?)	<b>q</b> ()	« » it i	(i) (i)	×
	Query Builder			
-			Save	
	and		2	
Query Key	sys-00003	]	Execute	
	Recent Values	Query Fields	Select Query Fields	
	For a converting types billing	1 RKEY	Remove	
	To re-line a current Guery, please type	3 act-ptd	Copy Data Selector Wizard	
	a search string.0R use the lookup		Notes	
	Ledger Query		<u>^</u>	
Description	and the second			
	Comit Column Headers  Contemporation Column Headers  Column Headers			
Target Environment		·	<u>×</u>	
Delimiter Data Source	/ ledgermast	Owned By	Terry	
Data Selector	ledger-all ALL OF THE LEDGER	Last Updated On	30/06/2008	
	1	Query Fields must be selected with the	You may USE another User's Query,	
	To build a NEW Guery, just choose a	SELECT QUERY FIELDS button, but	but you cannot change it. However, you	
	Interch. Data Source and Data Selector, then choose SELECT QUERY FIELDS.	unwanted fields can be removed from	can use COPY to make your own version	
	Terrority of Desired States of L. With PLOY, 12 (1994) and	the grid with the DEL key	which you can then change.	
Sec				
É				

Slide notes

#### Slide 17 - Slide 17

🛃 IES Client v8.29 : My I	IES			_ 🗆 🛛
Help Submit Quit Function	s Commands			
()	९ 🔍 🖉 🖉	« » ii C	(÷) (*)	×
	Query Builder			
			<u>Save</u>	_
Query Key	зуз-00003 Lookup ?		<u>Execute</u>	
	Recent Values	Query Fields	Select Query Fields	
	For a new Gimey Type MENY	1 RKEY	Remove Copy	
	To re-use a current Guery, please type.	3 act-ptd	Data Selector Wizard	
	a search string OF use the lookup		Notes	
Description	Ledger Query			
	Omit Column Headers			
	Enable Multi-Values			
	w windows	-	< <u>×</u>	
Target Environment Delimiter				
	ledgermast	Owned By	10/10/00/2010 (0.00/10/2010)	
Data Selector	ledger-all ALL OF THE LEDGER	Last Updated On	30/06/2008	
		Query Fields must be selected with the	You may USE another User's Query,	
	To build a NEW Query, just choose a Densir, Data Saurce and Data Selector,	SELECT QUERY FIELDS button, but unwanted fields can be removed from	but you cannot change it. However, you	
	then choose SELECT QUERY FIELDS.	the grid with the DEL key	can use COPY to make your own version which you can then change.	
Sec				
É				
				3.

Slide notes

## Slide 18 - Slide 18

🛃 IES Client v8.29 : My				<u> </u>
Help Submit Quit Function				
· (?)	<b>e</b> ()	« » it i	(i) (i)	×
	Query Builder			
-			Save	
	anad		2	
Query Key	sys-00003	]	Execute	
	Recent Values	Query Fields	Select Query Fields	
	For a converting types billing	1 RKEY	Remove	
	To re-line a current Guery, please type	3 act-ptd	Copy Data Selector Wizard	
	a search string.0R use the lookup		Notes	
	Ledger Query		<u>^</u>	
Description	and the second			
	Comit Column Headers  Contemporate Column Hea			
Target Environment		·	<u>×</u>	
Delimiter Data Source	/ ledgermast	Owned By	Terry	
Data Selector	ledger-all ALL OF THE LEDGER	Last Updated On	30/06/2008	
	1	Query Fields must be selected with the	You may USE another User's Query,	
	To build a NEW Guery, just choose a	SELECT QUERY FIELDS button, but	but you cannot change it. However, you	
	Interch. Data Source and Data Selector, then choose SELECT QUERY FIELDS.	unwanted fields can be removed from	can use COPY to make your own version	
	Terrority of Desired States of L. With PLOY, 12 (1994) and	the grid with the DEL key	which you can then change.	
Sec				
É				

Slide notes

## Slide 19 - Slide 19

🛃 IE	S Client	v8.29 : My	( IES											
Help	Infolab	Connections	Logon Logoff	Companion	Wizard How do	I DataMarts	Business M	Iodules Act	tion Focus 0	ption Select				
•		?	۹.	_	Ψ.	Ð	«	»	άŢ.	-0-	_	\$	Ø	×
			Query	Builde	ər									
													Save	
		Guery Key	sys-00003										<u>Execute</u>	
							Quer 1 RKE 2 des		2	-		<u>Select Qi</u>	Jery Fields Remove	
				surreht Guery, p ng:Off une the l			STATISTICS AND INCOMENTS	-ptd			Notes	<u>Data Selec</u>	<u>Copy</u> tor Wizard	
		Description	Ledger Que		SELECT: PLEAS	E CHOOSE E	DATA SELE	ECTOR TO	USE			Ì	<u>~</u>	
				□ 1 By	<b>E ONLY 1 .</b> Owner Description								-	
	Targ	et Environmen Delimite		s Select	ALL Show	Full Line	Cancel	1	ок		-		<u>&gt;</u>	
		Data Source Data Selecto	ledgermast ledger-all	ALL OF THE	E LEDGER				Las	Owned By t Updated On		Te: 30/06/2	rry 008	
				W Query, just o Source and Deb SELECT QUERY			s	SELECT QUEF	t be selected v RY FIELDS but can be remov rid with the DE	tton, but ed from	but you c	nay USE another Us annot change it. How OPY to make your ow which you can the	wever, you wn version	
Sec E														

# Slide 20 - Slide 20

🚪 IES Client v8.29 : My IES					
Help Submit Quit Functions Comma	ands				
4 (?) Q,		🥑 « »		(4)	<ul> <li>×</li> </ul>
					1
PI	ease Choose the	Data To Selec	t -		
					Vî.
				$\bigcirc$	
	The selection tips tell you what kind		ou may change any 'My Choi		
	of selection rule is being applied	Value	to prescribe which data sho be selected		
	Selection Tip		My Choice		
1	l Description = ?		[]		
	-				
				<u> </u>	
Nex	Pre Add Ins Ed Del				
7.55				Next	
Ses E					

#### Slide 21 - Slide 21

🛃 IES Client v8.29 : My IES					
Help Submit Quit Functions Comma	ands				
Q		<b>.</b>	» ii 🗆		*
PI	ease Choose the	Data To Se	lect -		
				6	
				(2	
	The selection tips tell you what kind		You may change any 'My Ch		
	of selection rule is being applied	$\checkmark$	value to prescribe which data st be select		
	Selection Tip		My Choice		<b>•</b>
1	l Description = ?		[]		
	-				
					-1
P	Pre Add Ins Ed Del				_
See				Ne	ext
É					

#### Slide notes

We can accept the default wildcards, which will find ALL Queries, or we can narrow the search by putting some search string within the wild cards.

# Slide 22 - Slide 22

	ES Client v8.29										_ 🗆 🔀
Help	Lookup Back 1	Field Restart Line	e Edit Mini Menu Submit Field	Quit							
-		Q.	C	Ø	**	<b>&gt;&gt;</b>		_		<ul> <li>Image: A second s</li></ul>	×
		Ple	ease Choose	he Data	a To S	elect -					
			The selection tips tell you what	kind		You may change	e any 'My Choice'				
			of selection rule is being app	ed 🌄		value to prescribe w					
			Selection Tip	~		My Choice	be selected	~			
		1	Description = ?			ि	2:				
								_			
			1								
			1								
		New	Pre Add Ins Ed Dei						_		
		Nex	Ele Fra lus Ea Del								
Sec									Next		
É											

#### Slide 23 - Slide 23

	ES Client v8.2									T	_ 🗆 🔀
Help	Lookup Back	l Field Restart Lir	ne Edit Mini Menu Submit Field	Quit							
	- ?	9,	•	Ð	~~	<b>&gt;&gt;</b> 11	-			<ul> <li>Image: A start of the start of</li></ul>	×
		-	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	-							
		PI	ease Choose th	e Data	a lo Se	lect -					
									$\bigcirc$		
									$\sim$		
			The selection tips tell you what I			You may change					
			of selection rule is being applier	- 💙 I		value to prescribe wh	be selected	$\sim$			
			Selection Tip 1 Description = ?			My Choice			-		
			i Descripcion = 7			0					
									_		
		Nex	Pre Add Ins Ed Del								
									Next		
Se:											
-											
											-

#### Slide 24 - Slide 24

🚪 IES Client v8.29 : My IES					
Help Lookup Back 1 Field Restart Line Edit Mini Menu	u Submit Field Quit				
- (?) Q		<b>» (</b>	» i	(6)	× ×
					Ĩ
Please Ch	loose the D	)ata To Se	lect -		
The selection ti	ps tell you what kind		You may change any 'My Choice'	,	
of selection ru	ile is being applied		value to prescribe which data should	. 🌏	
Selection 7	Fip	~	be selected My Choice		
1 Description					
Nex Pre Add Ins	Ed Del				
Sec				Next	
Ē					

## Slide 25 - Slide 25

ie 🖉	S Client	t v8.29 : My	/ IES											
Help	Infolab	Connections	Logon Logof	Companion	Wizard How d	o I DataMarts	Business	Modules Ac	tion Focus C	option Select				
٠		?	۹	_	۷	Ø	~~	»	i i i i	0	_	6	Ø	×
			Query	Build	er									
													<u>Save</u>	
		Query Ke	y <mark>sys-00003</mark>										<u>Execute</u>	
							1 RF		3	-		<u>Select Que</u>	<u>ry Fields</u> Remove	
							See .	scr t-ptd			Malaa	Data Selecto	<u>Copy</u> Ir Wizard	
			Ledger Qu				_				Notes	5	~	
		Descriptio	n bedger ga	SINGLE	SELECT: DAT	A SELECTION	1					-		
				KE	Υ		:DES	CRIPTION		=				
					forecastd		Asset 1	Detail Fo	recast				~	
	Targ	jet Environmer Delimite			t ALL Sho	w Full Line	Cancel		ок		_		2	
			e ledgermas	t		1				Owned By		Terr	Y	
		Data Selecto		1 ALL OF T	HE LEDGER				Las	st Updated On		30/06/200	8	
				EW Guery, just Source and D • SELECT GUE				SELECT QUE wanted fields	st be selected RY FIELDS bu s can be remov rid with the DE	utton, but ved from	but you	may USE another User cannot change it. Howe OPY to make your owr which you can then	ever, you h version	
Sec														

## Slide 26 - Slide 26

嶜 IES Client v8.29 : My				
Help Submit Quit Function	is Commands			
- (?)	۹. ۴	🖉 « » it u	÷ 📀	×
	Query Builder			
			Save	
A.1752 (1970)	aforecastd		Execute	
Guery Key	arorectore		LACOLE	
		Query Fields	Select Query Fields	
		2 descr	Remove Copy	
		3 act-ptd	Data Selector Wizard	
	a search string OF use the lookup		Notes	
Description	Ledger Query		1000	
	🦵 Omit Column Headers			
	🔽 Enable Multi-Values			
Target Environment	w windows		3	
Delimiter				
Data Source Data Selector	ledgermast ledger-all ALL OF THE LEDGER	Owned By Last Updated On		
Data Selector	Alexandra and the second second	Last Opdateu VII		
		Guery Fields must be selected with the	You may USE another User's Query,	
		SELECT QUERY FIELDS button, but unwanted fields can be removed from	but you cannot change it. However, you can use COPY to make your own version	
	then choose SELECT GUERY FIELDS.	the grid with the DEL key	which you can then change.	
Se:				
É				

Slide notes

## Slide 27 - Slide 27

🧖 II	S Client	t v8.29 : My	/ IES																	
Help	Infolab	Connections	Logon	Logoff	Companion	Wizard	How do 1	DataMart	s Bus	siness M	iodules A	Action Foc	us Opt	ion Select						
•		?	Q,	-	-	_	•	Ð	*	•	»»	- in			-	-	-	4	Ø	×
			Qu	ery	Build	er														
																			<u>Save</u>	
		Guery Ke	y sys-0	00003															<u>Execute</u>	
										Quer L RKE	y Field Y	is		-			<u>8</u> 6	elect Que	ry Fields Remove	
									2	Concernance of the	1200 C								Сору	
									3	3 act	-ptd						Dat	a Selecto	r Wizard	
				0.918 00.00	ewen were we	E TROUTINE				-					Notes				~	
		Description	n Ledge	er Quer		SELECT	: DATA	SELECTIO	N						1					
					к	ΞY			:	DESC	RIPTIO	н		:						
						foreca	std		Às:	set De	etail F	orecast	5							
																			-	
	Targ	jet Environmen	n <mark>vz v</mark>	ndows									1 -						>	
		Delimite	er 🗸		Sele	ct ALL	Show	Full Line	С	ancel		OK			_					
		Data Sourci Data Selecto			ALL OF T	HE LEDG	ER							Owned By Jpdated Or	277		30	Terr /06/200		
		Pata aciecto	-										Loot C	apointen va						
											y Fields m							ther User'		
											ELECT QU							je it. Howe i your own		
			then	chaose S	ELECT OUE	RV FIELDS	5					grid with						a can then		
Ses																				
É																				

#### Slide 28 - Slide 28

🖥 IES Client v8.29 : My I	ES						
elp Submit Quit Eunctions	s <u>C</u> ommands						
· · · · · ·	a 🔍 🔍	<b>)</b> «	>>	in in in	0-	(i) (i)	(X)
	Query Builder						
	Galory Danaon						
						Save	
Query Key	aforecastd					Execute	2
			Query Fields	5	-	Select Query Fields	2
		1	descr			Remove	2
		2	yearl-x			Cop	Y
		3	year2-x			Data Selector Wizard	1
		4	year3-x			Notes	
		- 5	year4-x		_	2	s.
Description	Asset Detail Forecast	6	year5-x				
		7	year6-x year7-x				
		8	year/-x year8-x				
	Omit Column Headers	10	year9-x				
	Enable Multi-Values	11	year10-x				
		12	yearl1-x				
	w windows		year12-x		-	< >	
Target Environment		_	-				
Delimiter						The second second	-
	aforecastd				whed By		-
Data Selector	aforecastd FUTURE ASSET FORECAST DET	TA .		Last Up	dated On	08/11/2007	
		1	Query Fields mu	st be selected with	the	You may USE another User's Query,	
				ERY FIELDS button,		but you cannot change it. However, you	
				s can be removed fi		can use COPY to make your own version	
				rid with the DEL ke		which you can then change.	
			the g	ing manne det ke	<b>1</b>	which you can men change.	
es							
£							

Slide notes