# Slide 1 - Slide 1

IES Client v8.29 : My			
elp Submit Quit Function	na ana ana ana ana ana ana ana ana ana		
• (?) ··	९ ँ	0 <b>« »</b> it (	45 (V) (
	Query Builder		
			Save
Query Key	sys-00003		Execute
		Query Fields	Select Query Fields
		1 RKEY	Remove
		3 act-ptd	<u>Copy</u> Data Selector Wizard
			Notes
Description	Ledger Query		
	Comit Column Headers		
	Enable Multi-Values		
			<u>.</u>
Target Environment	w windows	· · · · · · · · · · · · · · · · · · ·	<u>s</u>
Delimiter			
Data Source		Owned By	
Data Selector	ledger-all ALL OF THE LEDGER	Last Updated On	06/08/2010
		Query Fields must be selected with the	You may USE another User's Query,
		SELECT QUERY FIELDS button, but	but you cannot change it. However, you
		unwanted fields can be removed from	can use COPY to make your own version
	then choose SELECT GUERY FIELDS:	the grid with the DEL key	which you can then change.

### Slide notes

We save a new Query if we want to use it again in future, and we save a current Query if we have made changes that we wish to make permanent, for future use. Otherwise there is no need to use SAVE.

# Slide 2 - Slide 2

🛃 IES Client v8.29 : My I	ES						
Help Submit Quit Functions	s Commands						
¢ ? (	۹	• 0	«	» iT	0	\$ Ø	×
	Query Builde	r	_	_	_	Save	
						<u>oave</u>	
Query Key	sys-00003					Execute	
			Query Fi	.elds	-	Select Query Fields	
			1 RKEY 2 descr			Remove	
		Handtown	3 act-ptd	i .		<u>Copy</u> Data Selector Wizard	
					N	otes	
					13		
Description	Ledger Query	IES Client					
		You are not the Owner	of the Ouerv and capr	ot cave it!			
	Comit Colum					i.	
	Enable Mul	mint: You can make a co	ipy that you will own a	nu change anu / or sa	ave unat version	h.	
			ОК				
Target Environment	w windows					>	
Delimiter							
Data Source	ledgermast				Owned By	System Manager	
Data Selector	ledger-all ALL OF THE	LEDGER		Last	Updated On	06/08/2010	
		1					
		1000se e		is must be selected v T QUERY FIELDS butt		You may USE another User's Query, but you cannot change it. However, you	
		Selector,		fields can be remove		can use COPY to make your own version	
	then choose SELECT QUERV	rici.DS.		the grid with the DEL	_ key	which you can then change.	
Sec							
É							
							15

## Slide notes

And we can only save a Query that we own. If it is not ours, then we cannot save it.

# Slide 3 - Slide 3

🛃 IES Client v8.29 : My	IES			_ 🗆 🔀
Help Submit Quit Function	s Commands			
• • • • •	۹. ۴	🔿 « » it 💷	* •	×
	Query Builder			
			Save	
Guery Key	sys-00003		<u>Execute</u>	
		Query Fields	Select Query Fields	
		1 RKEY	<u>Remove</u> Copy	
		3 act-ptd	Data Selector Wizard	
			Notes	
			<u>^</u>	
Description	Ledger Query			
	Comit Column Headers			
	🔽 Enable Multi-Values			
			·	
Target Environment	w windows		<u>&lt;</u>	
Delimiter				
	ledgermast	Owned By	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Data Selector	ledger-all ALL OF THE LEDGER	Last Updated On	06/08/2010	
		Query Fields must be selected with the	You may USE another User's Query,	
		SELECT QUERY FIELDS button, but	but you cannot change it. However, you	
		unwanted fields can be removed from	can use COPY to make your own version	
	then choose SELECT QUERY FIELDS.	the grid with the DEL key	which you can then change.	
Sec				
É				
1000 C				

Slide notes