

Slide 1 - Slide 1

Slide notes

The 'ID Suppress' switch will inhibit the Record Key from being displayed as the 1st column on each line of the Report. Note that we have it switched on in this example.

Slide 2 - Slide 2

Slide notes

And we have 4 Data Names listed. Therefore, we can expect 4 columns of Report output.

Slide 3 - Slide 3

The screenshot shows the 'Quick Reports' configuration window in IES Client v8.29. The window title is 'My IES' and the menu bar includes 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. The main area is titled 'QUICK REPORTS' and contains several configuration sections:

- Report Metadata:** Quick Report Key: my-demo-report; #Descr: Demo Report; Source Filename: atmast; Heading: Demo Report; Header Subroutine: ; Footer Subroutine: .
- Actions:** Select DataNames, Re-select Column Order, Select Breaks, Select Page Breaks, Select Totals, Select Sorts, Select Data Selectors, Query Report Width, and a SAVE button.
- Configuration Tables:**
 - Data Names:** 1 MKEY, 2 DESCR, 3 ACT-PTD, 4 ACT-CUR.
 - Breaks:** 1 (empty)
 - Page Breaks:** 1 (empty)
 - Totals:** 1 (empty)
 - Sort By:** 1 Dsmd / Exp
 - Data Selector(s):** 1 atmast-2 WITH DESCRIPTION = ?
- Options:** Verb: list; Type: 2: Rep / Qty. Checkboxes for Runtime Header (checked), Detail Suppress (unchecked), Id Suppress (checked), Inhibit Versions (unchecked), and Double Space (unchecked).
- Footer:** A toolbar with buttons for Next, Pre, Add, Ins, Ed, and Del.

Slide notes

Slide 4 - Slide 4

The screenshot shows the IES Client v8.29: My IES interface. The title bar includes 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. The main content area is titled 'IES REPORTS AND QUERIES: - User Instructions' and contains several numbered steps:

- NAME:** TEST
- 1: - CHOOSE VERSION** (with a [Versions](#) link). Report Version: System Version: Demo Report
- 2: - CHOOSE SETTINGS**. Format: report, OutPut: FILE, File Type: htm html file, Template: 05: Gummy Hoops Inc, Report Header: Demo Report
- 3: - CHOOSE DATA SELECTOR** (with a [Change Selector](#) link). Data Selector: atmast-2 WITH DESCRIPTION = ?
- 4: - TO e-MAIL THE RESULTS** (with a [Priority](#) link). Priority: normal, Despatch By E-Mail: Mail Drive: *
- 5: - ADAPT DATA SELECTION (if prompts are present)** (with a [How to define MY CHOICE](#) link). A table below shows:

Selection Tip	My Choice
1 Description = ?	[]

Buttons: Nex, Pre, Add, Ins, Ed, Del.
- 6: - Record Select:** OPEN Records only, CLOSED Records Only, EITHER
- 7: - CHOOSE NEXT** (with a [Next](#) link)

Slide notes

Slide 5 - Slide 5

The screenshot shows the IES Client v8.29: My IES interface. The title bar includes 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. The main content area is titled 'IES REPORTS AND QUERIES: - User Instructions'. It contains several numbered steps:

- NAME:** TEST
- 1: - CHOOSE VERSION** (with a [Versions](#) link). Report Version: System Version: Demo Report
- 2: - CHOOSE SETTINGS**. Format: report, OutPut: FILE, File Type: htm html file, Template: 05: Gummy Hoops Inc, Report Header: Demo Report
- 3: - CHOOSE DATA SELECTOR** (with a [Change Selector](#) link). Data Selector: atmast-2 WITH DESCRIPTION = ?
- 4: - TO e-MAIL THE RESULTS** (with a [Priority](#) link). Priority: normal, Despatch By E-Mail: Mail Drive: *
- 5: - ADAPT DATA SELECTION (if prompts are present)** (with a [How to define MY CHOICE](#) link). A table below shows:

Selection Tip	My Choice
1 Description = ?	[]

Buttons: Nex, Pre, Add, Ins, Ed, Del.
- 6: - Record Select:** OPEN Records only, CLOSED Records Only, EITHER
- 7: - CHOOSE NEXT** (with a [Next](#) link)

Slide notes

Slide 6 - Slide 6

hello@gummyhoops.com www.gummyhoops.com

16:05:21 09 AUG 2010 page 1

Demo Report

Mkey.....	Description.....	Actual Ptd	Actual
200-10	AC SPLIT PANASONIC CS 12DKH 1,5 PK	3,444.96	0.00
200-11	AC SPLIT PANASONIC CS 12DKH 1,5 PK	1,944.96	0.00
200-12	AC SPLIT PANASONIC CS 12DKH 1,5 PK	2,022.80	0.00
200-13	AC SPLIT DAIKIN 1,5PK INVERTER	2,022.81	0.00
200-14	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.00
200-15	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.00
200-17	AIR CONDITIONER, LG	1,877.00	0.00
200-18	AIR CONDITIONER, LG	1,867.20	0.00
300-12	Acer 7800	5,298.10	0.00
300-13	Acer 7800	5,237.34	0.00
300-15	HP 5615	6,043.09	0.00
300-17	Apple iMac 21	10,071.84	0.00
300-18	Apple iMac 27	12,489.09	0.00
300-20	Apple MacBook Pro 13	10,071.84	0.00
300-21	Apple MacBook Pro 15	12,489.09	0.00
300-22	Apple MacBook Pro 17	20,546.59	0.00
300-23	Apple MacBook Pro 15	12,489.09	0.00
300-27	Apple iMac 21	10,071.84	0.00
300-28	Apple iMac 21	10,071.84	0.00
400-10	TOYOTA COROLLA 1.6	184,222.15	0.00
400-11	KIA PICANTO	119,430.80	0.00
VEH-1363	KILUX 2000, CDD201	0.00	0.00

Slide notes

And here we have our 4 columns. In the 1st column, we have the Asset Code, which is also the Data Record Key, but it is displayed form a Data Name that performs a display format on the Asset Code, and gives it an appropriate Header at the top of the column.

Slide 7 - Slide 7

The screenshot shows the IES Client v8.29: My IES interface. The title bar includes the application name and standard window controls. Below the title bar is a menu bar with 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. A toolbar with various icons is located below the menu bar. The main area is titled 'QUICK REPORTS' and contains several configuration sections:

- Quick Report Key:** my-demo-report
- #Descr:** Demo Report
- Source Filename:** atmast
- Heading:** Demo Report
- Header Subroutine:**
- Footer Subroutine:**

On the right side, there are several links for configuration: [Select DataNames](#), [Re-select Column Order](#), [Select Breaks](#), [Select Page Breaks](#), [Select Totals](#), [Select Sorts](#), [Select Data Selectors](#), and [Query Report Width](#). A [SAVE](#) button is also present.

Below these links are several icons: a circular arrow, a magnifying glass, a document with a checkmark, and a document with a checkmark and a plus sign.

The main configuration area consists of four columns, each with a list box and a vertical scrollbar:

- Data Names:** 1 MKEY, 2 DESCR, 3 ACT-PTD, 4 ACT-CUR
- Breaks:** 1
- Page Breaks:** 1
- Totals:** 1

Below these columns are two more configuration sections:

- Sort By:** Dsmd / Exp, 1
- Data Selector(s):** 1 atmast-2 WITH DESCRIPTION = ?

At the bottom right, there are two dropdown menus: 'Verb' set to 'list' and 'Type' set to '2: Rep / Qty'. Below these are several checkboxes: Runtime Header, Detail Suppress, Id Suppress, Inhibit Versions, and Double Space.

At the bottom left, there is a 'See' button and a keyboard shortcut indicator 'E'. Below that are buttons for 'Nex', 'Pre', 'Add', 'Ins', 'Ed', and 'Del'.

Slide notes

Slide 8 - Slide 8

Slide notes

If we switch off the suppression of the Record Key, it will appear as the 1st column, in addition to the listed Data Names.

Slide 9 - Slide 9

Infolab - Windows Internet Explorer

File Edit View Favorites Tools Help

Google Search Share Sidewiki Check Translate AutoFill Sign In

Infolab

Gummy Hoops Inc

hello@gummyhoops.com www.gummyhoops.com

16:06:22 09 AUG 2010 page 1

Demo Report

ATMAST....	Mkey.....	Description.....	Actual Ptd	Actu
20010	200-10	AC SPLIT PANASONIC CS 12DKH 1,5 PK	3,444.96	0.
20011	200-11	AC SPLIT PANASONIC CS 12DKH 1,5 PK	1,944.96	0.
20012	200-12	AC SPLIT PANASONIC CS 12DKH 1,5 PK	2,022.80	0.
20013	200-13	AC SPLIT DAIKIN 1,5PK INVERTER	2,022.81	0.
20014	200-14	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20015	200-15	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20017	200-17	AIR CONDITIONER, LG	1,877.00	0.
20018	200-18	AIR CONDITIONER, LG	1,867.20	0.
30012	300-12	Acer 7800	5,298.10	0.
30013	300-13	Acer 7800	5,237.34	0.
30015	300-15	HP 5615	6,043.09	0.
30017	300-17	Apple iMac 21	10,071.84	0.
30018	300-18	Apple iMac 27	12,489.09	0.
30020	300-20	Apple MacBook Pro 13	10,071.84	0.
30021	300-21	Apple MacBook Pro 15	12,489.09	0.
30022	300-22	Apple MacBook Pro 17	20,546.59	0.
30023	300-23	Apple MacBook Pro 15	12,489.09	0.
30027	300-27	Apple iMac 21	10,071.84	0.
30028	300-28	Apple iMac 21	10,071.84	0.
40010	400-10	TOYOTA COROLLA 1.6	184,222.15	0.
40011	400-11	KIA PICANTO	119,430.80	0.
VEH1363	VEH-1363	KILUX 2000, CDD201	0.00	0.

Slide notes

And here we can see the effect. In the 1st column, we have the raw Data Key, and at the top of the column it lists the File Name where these Keys are from.

Slide 10 - Slide 10

Gummy Hoops Inc

hello@gummyhoops.com www.gummyhoops.com

16:06:22 09 AUG 2010 page 1

Demo Report

ATMAST....	Mkey.....	Description.....	Actual Ptd	Actual
20010	200-10	AC SPLIT PANASONIC CS 12DKH 1,5 PK	3,444.96	0.
20011	200-11	AC SPLIT PANASONIC CS 12DKH 1,5 PK	1,944.96	0.
20012	200-12	AC SPLIT PANASONIC CS 12DKH 1,5 PK	2,022.80	0.
20013	200-13	AC SPLIT DAIKIN 1,5PK INVERTER	2,022.81	0.
20014	200-14	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20015	200-15	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20017	200-17	AIR CONDITIONER, LG	1,877.00	0.
20018	200-18	AIR CONDITIONER, LG	1,867.20	0.
30012	300-12	Acer 7800	5,298.10	0.
30013	300-13	Acer 7800	5,237.34	0.
30015	300-15	HP 5615	6,043.09	0.
30017	300-17	Apple iMac 21	10,071.84	0.
30018	300-18	Apple iMac 27	12,489.09	0.
30020	300-20	Apple MacBook Pro 13	10,071.84	0.
30021	300-21	Apple MacBook Pro 15	12,489.09	0.
30022	300-22	Apple MacBook Pro 17	20,546.59	0.
30023	300-23	Apple MacBook Pro 15	12,489.09	0.
30027	300-27	Apple iMac 21	10,071.84	0.
30028	300-28	Apple iMac 21	10,071.84	0.
40010	400-10	TOYOTA COROLLA 1.6	184,222.15	0.
40011	400-11	KIA PICANTO	119,430.80	0.
VEH1363	VEH-1363	KILUX 2000, CDD201	0.00	0.

Slide notes

Slide 11 - Slide 11

Infolab - Windows Internet Explorer

File Edit View Favorites Tools Help

Google Search Share Sidewiki Check Translate AutoFill Sign In

Infolab

Gummy Hoops Inc

hello@gummyhoops.com www.gummyhoops.com

16:06:22 09 AUG 2010 page 1

Demo Report

ATMAST....	Mkey.....	Description.....	Actual Ptd	Actu
20010	200-10	AC SPLIT PANASONIC CS 12DKH 1,5 PK	3,444.96	0.
20011	200-11	AC SPLIT PANASONIC CS 12DKH 1,5 PK	1,944.96	0.
20012	200-12	AC SPLIT PANASONIC CS 12DKH 1,5 PK	2,022.80	0.
20013	200-13	AC SPLIT DAIKIN 1,5PK INVERTER	2,022.81	0.
20014	200-14	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20015	200-15	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20017	200-17	AIR CONDITIONER, LG	1,877.00	0.
20018	200-18	AIR CONDITIONER, LG	1,867.20	0.
30012	300-12	Acer 7800	5,298.10	0.
30013	300-13	Acer 7800	5,237.34	0.
30015	300-15	HP 5615	6,043.09	0.
30017	300-17	Apple iMac 21	10,071.84	0.
30018	300-18	Apple iMac 27	12,489.09	0.
30020	300-20	Apple MacBook Pro 13	10,071.84	0.
30021	300-21	Apple MacBook Pro 15	12,489.09	0.
30022	300-22	Apple MacBook Pro 17	20,546.59	0.
30023	300-23	Apple MacBook Pro 15	12,489.09	0.
30027	300-27	Apple iMac 21	10,071.84	0.
30028	300-28	Apple iMac 21	10,071.84	0.
40010	400-10	TOYOTA COROLLA 1.6	184,222.15	0.
40011	400-11	KIA PICANTO	119,430.80	0.
VEH1363	VEH-1363	KILUX 2000, CDD201	0.00	0.

Slide notes

Slide 12 - Slide 12

hello@gummyhoops.com www.gummyhoops.com

16:06:22 09 AUG 2010 page 1

Demo Report

ATMAST....	Mkey.....	Description.....	Actual Ptd	Actual
20010	200-10	AC SPLIT PANASONIC CS 12DKH 1,5 PK	3,444.96	0.
20011	200-11	AC SPLIT PANASONIC CS 12DKH 1,5 PK	1,944.96	0.
20012	200-12	AC SPLIT PANASONIC CS 12DKH 1,5 PK	2,022.80	0.
20013	200-13	AC SPLIT DAIKIN 1,5PK INVERTER	2,022.81	0.
20014	200-14	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20015	200-15	AC SPLIT DAIKIN 1,5PK INVERTER	1,867.20	0.
20017	200-17	AIR CONDITIONER, LG	1,877.00	0.
20018	200-18	AIR CONDITIONER, LG	1,867.20	0.
30012	300-12	Acer 7800	5,298.10	0.
30013	300-13	Acer 7800	5,237.34	0.
30015	300-15	HP 5615	6,043.09	0.
30017	300-17	Apple iMac 21	10,071.84	0.
30018	300-18	Apple iMac 27	12,489.09	0.
30020	300-20	Apple MacBook Pro 13	10,071.84	0.
30021	300-21	Apple MacBook Pro 15	12,489.09	0.
30022	300-22	Apple MacBook Pro 17	20,546.59	0.
30023	300-23	Apple MacBook Pro 15	12,489.09	0.
30027	300-27	Apple iMac 21	10,071.84	0.
30028	300-28	Apple iMac 21	10,071.84	0.
40010	400-10	TOYOTA COROLLA 1.6	184,222.15	0.
40011	400-11	KIA PICANTO	119,430.80	0.
VEH1363	VEH-1363	KILUX 2000, CDD201	0.00	0.

Slide notes

So that is the purpose of the 'ID Suppress' switch. It turns the display of the Data Key on or off, and the Data Names will always include an option to show a record key, and sometimes will include multiple options, with appropriate column headers.

Slide 13 - Slide 13

Slide notes

Slide 14 - Slide 14

The screenshot shows the IES Client v8.29 interface. At the top, there is a menu bar with options like Help, Infolab, Connections, Logon, Logoff, Companion, Wizard, How do I, DataMarts, Business Modules, Action Focus, and Option Select. Below the menu bar is a toolbar with various icons. The main area is titled 'QUICK REPORTS' and contains a 'Quick Report Key' field with the value 'my-demo-report' and a 'Select DataNames' button. A 'SAVE' button is also visible in the top right corner.

The central part of the dialog is titled 'MULTI-SELECT: DATANAMES FOR SELECTION' and contains a table with the following columns: OBJECT NAME, FIELD, HEADER, and WID. The table lists various data names and their corresponding field numbers, headers, and widths. A vertical scrollbar is on the right side of the table.

OBJECT NAME	FIELD	HEADER	WID	
<input type="checkbox"/> Act-cur	0	Actual	22	Actual Movement Current Month, Actual (bank) Column Only.
<input type="checkbox"/> Act-ptd	0	Actual Ptd	22	Actual Balance Year-to-date, Actual (bank) Column Only.
<input type="checkbox"/> Actq-cur	0	Qty Act	12	Quantity, Movement, Current Month.
<input type="checkbox"/> Actq-ptd	0	Qty Act Ptd	12	Quantity, Balance Year-to-date.
<input type="checkbox"/> Assetkey	0	Asset Key	15	Raw Internal Key For This Asset.
<input type="checkbox"/> Com-cur	0	Committed	22	Committed Movement, Current Month, Financial.
<input type="checkbox"/> Com-ptd	0	Com Ptd	22	Committed Balance, Year-to-date, Financial.
<input type="checkbox"/> Comq-cur	0	Qty Com	12	Committed Movement, Current Month, Physical.
<input type="checkbox"/> Comq-ptd	0	Qty Com Ptd	12	Committed Balance, Year-to-date, Physical.
<input type="checkbox"/> Key	0		15	Raw Internal Key.
<input type="checkbox"/> Mgrp	0	Master Group	15	Derived Group Based On Local Standard
<input type="checkbox"/> Mkey	0	Mkey	17	Master Key For This Asset Account - Masked.
<input type="checkbox"/> Ord-cur	0	Ordered	22	Ordered Movement, Current Month, Financial.
<input type="checkbox"/> Ord-ptd	0	Ord Ptd	22	Ordered Balance, Year-to-date, Financial.
<input type="checkbox"/> Ordq-cur	0	Qty Ord	12	Ordered Movement, Current Month, Physical.
<input type="checkbox"/> Ordq-ptd	0	Qty Ord Ptd	12	Ordered Balance, Year-to-date, Physical.
<input type="checkbox"/> Rkey	0	Key	20	
<input type="checkbox"/> Descr	1	Description	45	Name For This Asset.
<input type="checkbox"/> Oc	2	Open/closed	12	Indicated Transaction Status For This Asset, I.e. Open Or Closed.

At the bottom of the dialog, there are buttons for 'Select ALL', 'Show Full Line', 'Cancel', and 'OK'. There is also an empty text input field.

Slide notes

By having another look at the available Data Names for this File, we can find all the Key field options.

Slide 15 - Slide 15

The screenshot shows the IES Client v8.29 interface. At the top, there is a menu bar with options like Help, Infolab, Connections, Logon, Logoff, Companion, Wizard, How do I, DataMarts, Business Modules, Action Focus, and Option Select. Below the menu is a toolbar with various icons. The main area is titled 'QUICK REPORTS' and contains a 'Quick Report Key' field with the value 'my-demo-report' and a 'Select DataNames' button. A 'SAVE' button is also visible in the top right corner.

A dialog box titled 'MULTI-SELECT: DATANAMES FOR SELECTION' is open, displaying a table with the following columns: OBJECT NAME, FIELD, HEADER, and WID. The table lists various data names and their corresponding fields, headers, and widths. Below the table are buttons for 'Select ALL', 'Show Full Line', 'Cancel', and 'OK'.

OBJECT NAME	FIELD	HEADER	WID	
<input type="checkbox"/> Act-cur	0	Actual	22	Actual Movement Current Month, Actual (bank) Column Only.
<input type="checkbox"/> Act-ptd	0	Actual Ptd	22	Actual Balance Year-to-date, Actual (bank) Column Only.
<input type="checkbox"/> Actq-cur	0	Qty Act	12	Quantity, Movement, Current Month.
<input type="checkbox"/> Actq-ptd	0	Qty Act Ptd	12	Quantity, Balance Year-to-date.
<input type="checkbox"/> Assetkey	0	Asset Key	15	Raw Internal Key For This Asset.
<input type="checkbox"/> Com-cur	0	Committed	22	Committed Movement, Current Month, Financial.
<input type="checkbox"/> Com-ptd	0	Com Ptd	22	Committed Balance, Year-to-date, Financial.
<input type="checkbox"/> Comq-cur	0	Qty Com	12	Committed Movement, Current Month, Physical.
<input type="checkbox"/> Comq-ptd	0	Qty Com Ptd	12	Committed Balance, Year-to-date, Physical.
<input type="checkbox"/> Key	0		15	Raw Internal Key.
<input type="checkbox"/> Mgrp	0	Master Group	15	Derived Group Based On Local Standard
<input type="checkbox"/> Mkey	0	Mkey	17	Master Key For This Asset Account - Masked.
<input type="checkbox"/> Ord-cur	0	Ordered	22	Ordered Movement, Current Month, Financial.
<input type="checkbox"/> Ord-ptd	0	Ord Ptd	22	Ordered Balance, Year-to-date, Financial.
<input type="checkbox"/> Ordq-cur	0	Qty Ord	12	Ordered Movement, Current Month, Physical.
<input type="checkbox"/> Ordq-ptd	0	Qty Ord Ptd	12	Ordered Balance, Year-to-date, Physical.
<input type="checkbox"/> Rkey	0	Key	20	
<input type="checkbox"/> Descr	1	Description	45	Name For This Asset.
<input type="checkbox"/> Oc	2	Open/closed	12	Indicated Transaction Status For This Asset, I.e. Open Or Closed.

Slide notes

Slide 16 - Slide 16

IES Client v8.29 : My IES

Help Infolab Connections Logon Logoff Companion Wizard How do I DataMarts Business Modules Action Focus Option Select

QUICK REPORTS

Quick Report Key [Select DataNames](#) [SAVE](#)

MULTI-SELECT: DATANAMES FOR SELECTION

:OBJECT NAME	FIELD	HEADER	WID	
<input type="checkbox"/> Act-cur	0	Actual	22	Actual Movement Current Month, Actual (bank) Column Only.
<input type="checkbox"/> Act-ptd	0	Actual Ptd	22	Actual Balance Year-to-date, Actual (bank) Column Only.
<input type="checkbox"/> Actq-cur	0	Qty Act	12	Quantity, Movement, Current Month.
<input type="checkbox"/> Actq-ptd	0	Qty Act Ptd	12	Quantity, Balance Year-to-date.
<input type="checkbox"/> Assetkey	0	Asset Key	15	Raw Internal Key For This Asset.
<input type="checkbox"/> Com-cur	0	Committed	22	Committed Movement, Current Month, Financial.
<input type="checkbox"/> Com-ptd	0	Com Ptd	22	Committed Balance, Year-to-date, Financial.
<input type="checkbox"/> Comq-cur	0	Qty Com	12	Committed Movement, Current Month, Physical.
<input type="checkbox"/> Comq-ptd	0	Qty Com Ptd	12	Committed Balance, Year-to-date, Physical.
<input type="checkbox"/> Key	0		15	Raw Internal Key.
<input type="checkbox"/> Mgrp	0	Master Group	15	Derived Group Based On Local Standard
<input checked="" type="checkbox"/> Mkey	0	Mkey	17	Master Key For This Asset Account - Masked.
<input type="checkbox"/> Ord-cur	0	Ordered	22	Ordered Movement, Current Month, Financial.
<input type="checkbox"/> Ord-ptd	0	Ord Ptd	22	Ordered Balance, Year-to-date, Financial.
<input type="checkbox"/> Ordq-cur	0	Qty Ord	12	Ordered Movement, Current Month, Physical.
<input type="checkbox"/> Ordq-ptd	0	Qty Ord Ptd	12	Ordered Balance, Year-to-date, Physical.
<input type="checkbox"/> Rkey	0	Key	20	
<input type="checkbox"/> Descr	1	Description	45	Name For This Asset.
<input type="checkbox"/> Oc	2	Open/closed	12	Indicated Transaction Status For This Asset, I.e. Open Or Closed.

Select ALL Show Full Line Cancel OK

Slide notes

MKEY is such an option.

Slide 17 - Slide 17

The screenshot shows the IES Client v8.29 interface. At the top, there is a menu bar with options like Help, Infolab, Connections, Logon, Logoff, Companion, Wizard, How do I, DataMarts, Business Modules, Action Focus, and Option Select. Below the menu is a toolbar with various icons. The main area is titled 'QUICK REPORTS' and contains a 'Quick Report Key' field with the value 'my-demo-report' and a 'Select DataNames' button. A 'SAVE' button is also visible in the top right.

The central part of the dialog is titled 'MULTI-SELECT: DATANAMES FOR SELECTION' and contains a table with the following columns: OBJECT NAME, FIELD, HEADER, and WID. The table lists various data names with their corresponding field numbers, headers, and widths. A vertical scrollbar is on the right side of the table.

OBJECT NAME	FIELD	HEADER	WID
<input type="checkbox"/> Act-cur	0	Actual	22
<input type="checkbox"/> Act-ptd	0	Actual Ptd	22
<input type="checkbox"/> Actq-cur	0	Qty Act	12
<input type="checkbox"/> Actq-ptd	0	Qty Act Ptd	12
<input type="checkbox"/> Assetkey	0	Asset Key	15
<input type="checkbox"/> Com-cur	0	Committed	22
<input type="checkbox"/> Com-ptd	0	Com Ptd	22
<input type="checkbox"/> Comq-cur	0	Qty Com	12
<input type="checkbox"/> Comq-ptd	0	Qty Com Ptd	12
<input type="checkbox"/> Key	0	Raw Internal Key.	15
<input type="checkbox"/> Mgrp	0	Master Group	15
<input type="checkbox"/> Mkey	0	Mkey	17
<input type="checkbox"/> Ord-cur	0	Ordered	22
<input type="checkbox"/> Ord-ptd	0	Ord Ptd	22
<input type="checkbox"/> Ordq-cur	0	Qty Ord	12
<input type="checkbox"/> Ordq-ptd	0	Qty Ord Ptd	12
<input type="checkbox"/> Rkey	0	Key	20
<input type="checkbox"/> Descr	1	Description	45
<input type="checkbox"/> Oc	2	Open/closed	12

At the bottom of the dialog, there are buttons for 'Select ALL', 'Show Full Line', 'Cancel', and 'OK'. There is also an empty text input field.

Slide notes

KEY is another option.

Slide 18 - Slide 18



Slide notes

And RKEY is also an option. In fact, all Files will show an RKEY option that we can use to show the Record Key if we prefer that instead of the FileName Key that can be suppressed or not.