

Slide 1 - Slide 1

Slide notes

The actual width of the Report output will be determined by the Data Names that are included, each of which has a width setting in the Data Dictionaries, plus the File Data Key if it is not suppressed.

Slide 2 - Slide 2

The screenshot shows the IES Client v8.29: My IES interface. At the top is a menu bar with 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. Below the menu is a toolbar with various icons. The main area is titled 'QUICK REPORTS' in a blue header. Below the header, there is a configuration panel for a report. The 'Quick Report Key' is 'ledger-forex-pl'. The '*Descr' is 'GL Ledger Gain+/Loss- Preview'. The 'Source Filename' is 'ledgermast'. The 'Heading' is 'GL Ledger Gain+/Loss- Preview'. There are also fields for 'Header Subroutine' and 'Footer Subroutine'. To the right of the configuration panel are several links: 'Select DataNames', 'Re-select Column Order', 'Select Breaks', 'Select Page Breaks', 'Select Totals', 'Select Sorts', 'Select Data Selectors', and 'Query Report Width'. There is also a 'SAVE' button. Below the configuration panel are four columns of lists: 'Data Names', 'Breaks', 'Page Breaks', and 'Totals'. The 'Data Names' list contains '6 fx-act-ptd' and '7 fx-pl-ptd'. The 'Breaks' list contains '1 forex'. The 'Page Breaks' list contains '1'. The 'Totals' list contains '1 act-ptd', '2 fx-act-ptd', and '3 fx-pl-ptd'. Below these lists are two more configuration sections: 'Sort By' with '1 forex' and 'Dsnd / Exp', and 'Data Selector(s)' with '1 ledger-forex-bs-gainlo' and 'LEDGER WITH FOREX GAIN/LOSS'. On the right side, there are icons for 'Refresh', 'Print', and 'Save'. Below the icons are two dropdown menus: 'Verb' set to 'list' and 'Type' set to '2: Rep / Qty'. At the bottom right, there are several checkboxes: 'Runtime Header' (checked), 'Detail Suppress' (unchecked), 'Id Suppress' (checked), 'Inhibit Versions' (unchecked), and 'Double Space' (unchecked).

Slide notes

Slide 3 - Slide 3

Slide notes

It is important not to exceed a certain width with a Report, in order to stay within certain print sizes.

Slide 4 - Slide 4

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

QUICK REPORTS

Quick Report Key: ledger-forex-pl
*Descr: GL Ledger Gain+/Loss- Preview
Source Filename: ledgermast
Heading: GL Ledger Gain+/Loss- Preview
Header Subroutine:
Footer Subroutine:

[Select DataNames](#)
[Re-select Column Order](#)
[Select Breaks](#)
[Select Page Breaks](#)
[Select Totals](#)
[Select Sorts](#)

[SAVE](#)
[Select Data Selectors](#)
[Query Report Width](#)

Data Names	Breaks	Page Breaks	Totals
1 rkey	1 forex	1	1 act-ptd
2 descr			2 fx-act-ptd
3 forex			3 fx-pl-ptd
4 FX-PL-RATE			
5 act-ptd			
6 fx-act-ptd			
7 fx-pl-ptd			

Sort By: Dsmd / Exp
1 forex

Data Selector(s):
1 ledger-forex-bs-gainlo LEDGER WITH FOREX GAIN/LOSS

Verb: list
Type: 2: Rep / Qty

- Runtime Header
- Detail Suppress
- Id Suppress
- Inhibit Versions
- Double Space

Slide notes

The query function will inform us of the expected Report width for the current configuration of the Report.

Slide 5 - Slide 5

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

QUICK REPORTS

Quick Report Key: ledger-forex-pl
*Descr: GL Ledger Gain+/Loss- Preview
Source Filename: ledgermast
Heading: GL Ledger Gain+/Loss- Preview
Header Subroutine:
Footer Subroutine:

Select DataNames
Re-select Column Order
Select Data Selectors
Select Breaks
Query Report Width
Select Page Breaks
Select Totals
Select Sorts

SAVE

Data Names	Breaks	Page Breaks	Totals
1 rkey	1 forex	1	1 act-ptd
2 descr			2 fx-act-ptd
3 forex			3 fx-pl-ptd
4 FX-PL-RATE			
5 act-ptd			
6 fx-act-ptd			
7 fx-pl-ptd			

Sort By: Dsmd / Exp
1 forex

Data Selector(s):
1 ledger-forex-bs-gainlo LEDGER WITH FOREX GAIN/LOSS

Verb: list
Type: 2: Rep / Qty

- Runtime Header
- Detail Suppress
- Id Suppress
- Inhibit Versions
- Double Space

IES Client
Report Width = 164 ...
Tip: max width should not exceed 300.
OK

Slide notes

A Report should never exceed the ultimate width of 300.

Slide 6 - Slide 6

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

QUICK REPORTS

Quick Report Key: ledger-forex-pl
*Descr: GL Ledger Gain+/Loss- Preview
Source Filename: ledgermast
Heading: GL Ledger Gain+/Loss- Preview
Header Subroutine:
Footer Subroutine:

[Select DataNames](#)
[Re-select Column Order](#)
[Select Breaks](#)
[Select Page Breaks](#)
[Select Totals](#)
[Select Sorts](#)

[SAVE](#)
[Select Data Selectors](#)
[Query Report Width](#)

Verb: list
Type: 2: Rep / Qty

- Runtime Header
- Detail Suppress
- Id Suppress
- Inhibit Versions
- Double Space

Data Names	Breaks	Page Breaks	Totals
1 rkey	1 forex	1	1 act-ptd
2 descr			2 fx-act-ptd
3 forex			3 fx-pl-ptd
4 FX-PL-RATE			
5 act-ptd			
6 fx-act-ptd			
7 fx-pl-ptd			

Sort By	Data Selector(s)
1 forex	1 ledger-forex-bs-gainlo LEDGER WITH FOREX GAIN/LOSS

Slide notes