

Slide 1 - Slide 1

Slide notes

We have a function to remove a Report that is no longer wanted or needed.

Slide 2 - Slide 2

The screenshot shows the 'QUICK REPORTS' interface in the IES Client v8.29. The window title is 'My IES' and the menu bar includes 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. The interface features a search bar and navigation icons at the top. The main area is divided into several sections:

- Configuration Fields:** Quick Report Key (atmast), \*Descr (Asset Master), Source Filename (atmast), Heading (Asset Master), Header Subroutine, and Footer Subroutine.
- Configuration Links:** Select DataNames, Re-select Column Order, Select Breaks, Select Page Breaks, Select Totals, Select Sorts, Select Data Selectors, and Query Report Width.
- Configuration Lists:**
  - Data Names:** 1 RKEY, 2 DESCR, 3 GROUP
  - Breaks:** 1 GROUP
  - Page Breaks:** 1
  - Totals:** 1
  - Sort By:** 1 GROUP, Dsmd / Exp
  - Data Selector(s):** 1 atmast-fromto ASSET CODE RANGE
- Options:** Verb (list), Type (2: Rep / Qty), and checkboxes for Runtime Header, Detail Suppress, Id Suppress, Inhibit Versions, and Double Space.

Slide notes

## Slide 3 - Slide 3

The screenshot shows the IES Client v8.29: My IES interface. The main window is titled "QUICK REPORTS" and contains several configuration panels:

- Quick Report Key:** atmast
- \*Descr:** Asset Master
- Source Filename:** atmast
- Heading:** Asset Master
- Header Subroutine:**
- Footer Subroutine:**

On the right side, there are several links for configuration: [Select DataNames](#), [Re-select Column Order](#), [Select Data Selectors](#), [Select Breaks](#), [Query Report Width](#), [Select Page Breaks](#), [Select Totals](#), and [Select Sorts](#). There is also a [SAVE](#) button.

Below these links are several icons: a circular arrow, a magnifying glass, a document with a checkmark, and a document with a checkmark and a plus sign.

At the bottom right, there are dropdown menus for **Verb** (set to "list") and **Type** (set to "2: Rep / Qry"). Below these are several checkboxes:  Runtime Header,  Detail Suppress,  Id Suppress,  Inhibit Versions, and  Double Space.

In the center, a dialog box titled "IES Client" is displayed with the following text:

```
This report is still in use in the menu library, with the following processes: -
ATMAST-PAR
the report cannot be removed at the moment.
```

An "OK" button is visible at the bottom of the dialog box.

The main interface also features several tables for configuration:

- Data Names:**

1	RKEY
2	DESCR
3	GROUP
- Breaks:**

1	GROUP
---	-------
- Page Breaks:**

1	
---	--
- Totals:**

1	
---	--
- Sort By:**

1	GROUP	Dsmd / Exp
---	-------	------------
- Data Selector(s):**

1	atmast-fromto	ASSET CODE RANGE
---	---------------	------------------

## Slide notes

However, a Report cannot be removed while it is still connected to a Menu Process. In that case, we need to make the Menu Process redundant or modify it not to use this Report option.

Slide 4 - Slide 4

Slide notes

### Slide 5 - Slide 5

### Slide notes

Here we have another example.

Slide 6 - Slide 6

IES Client v8.29 : My IES

Help Submit Quit Functions Commands

---

## QUICK REPORTS

Quick Report Key: **testme**

#Descr: **Asset Master**

Source Filename: **atmast**

Heading: **Asset Master**

Header Subroutine:

Footer Subroutine:

[SAVE](#)

[Select DataNames](#)

[Re-select Column Order](#)

[Select Breaks](#)

[Select Page Breaks](#)

[Select Totals](#)

[Select Sorts](#)

[Select Data Selectors](#)

[Query Report Width](#)

Data Names	
1	RKEY
2	DESCR
3	GROUP

Breaks	
1	GROUP

Page Breaks	
1	

Totals	
1	

Verb: **list**

Type: **2: Rep / Qty**

Runtime Header

Detail Suppress

Id Suppress

Inhibit Versions


Double Space

Sort By		Dsmd / Exp
1	GROUP	

Data Selector(s)		
1	atmast-fromto	ASSET CODE RANGE

Slide notes

Slide 7 - Slide 7



Slide notes

This time removal is allowed.

Slide 8 - Slide 8


The screenshot shows the IES Client v8.29 interface. At the top, there's a menu bar with 'Help', 'Submit', 'Quit', 'Functions', and 'Commands'. Below the menu is a toolbar with various icons. The main area is titled 'QUICK REPORTS' in a blue header. On the left, there's a form for report configuration with fields for 'Quick Report Key' (testme), '#Descr' (Asset Master), 'Source Filename' (atmast), 'Heading' (Asset Master), 'Header Subroutine', and 'Footer Subroutine'. On the right, there are several blue links: 'Select DataNames', 'Re-select Column Order', 'Select Breaks', 'Select Page Breaks', 'Select Totals', and 'Select Sorts'. Below these links are icons for 'SAVE', 'Refresh', 'Print', and 'Export'. In the center, there are four vertical lists: 'Data Names' (1 RKEY, 2 DESCR, 3 GROUP), 'Breaks' (1 GROUP), 'Page Breaks' (1), and 'Totals' (1). Below these lists are 'Sort By' (1 GROUP, Dsmd / Exp) and 'Data Selector(s)' (1 atmast-fromto, ASSET CODE RANGE). On the right side, there are dropdown menus for 'Verb' (list) and 'Type' (2: Rep / Qty), and a set of checkboxes for 'Runtime Header', 'Detail Suppress', 'Id Suppress', 'Inhibit Versions', and 'Double Space'. A modal dialog box titled 'IES Client' with a red 'X' icon and the text 'Removed!' is overlaid on the center of the screen, with an 'OK' button.

Slide notes

And the Report is removed.



Slide 9 - Slide 9



Slide notes